Annual Index

Volume 19
1984

Authors

A

ABEYWARDENA, M.Y. See Charnock, J.S.
ADAMSON, GERALD L. See Kahlon, Talwinder S.
AHMED, AHMED A. and Bruce J. Holub, Alteration and recovery of bleeding times, platelet aggregation and fatty acid composition of individual phospholipids in platelets of human subjects receiving a supplement of cod-liver oil, 617
ALAM, B.S. See Alam, S.Q.
ALAM, S.Q., and B.S. Alam, Lung surfactant and fatty acid composition of lung tissue and lavage of rats fed diets containing different lipids, 38
ALBERS, J.J., See Hazzard, W.R.
ALEXANDER, J.C. See Yoshida, Hiromi
ALLEN, William V. See Sheridan, Mark A.
ANSARI, K. See Kaplan, E.
APPLEBAUM-BOWDEN, D. See Hazzard, W.R.
ARAKAWA, N. See Mori, N.
ARTAUD, J. See Peyronel, D.
ASHES, J.R., L.J. Cook and G.S. Sidhu, Effect of dietary cholesterol protected against ruminal hydrogenation on the plasma cholesterol and liver of sheep, 159
AYANOGLU, ESER. See Dasgupta, Amitava
AYAZ, K. LUND. See Csallany, A.S.

B

BAKER, N., Letter to the Editor, 139
BALIS, J.U. See Shelley, S.A.
BASCETTA, EMANUELE, Frank D. Gunstone and Charles M. Scrimgeour, The purification of fatty acid methyl esters by high pressure liquid chromatography, 801
BAUER, J.E., and S.J. Covert, The influence of protein and carbohydrate type on serum and liver lipids and liproprotein cholesterol in rabbits, 844
BAZAN, NICOLAS G. See Reddy, T. Sanjeeva
BELL, WILLIAM R. See Chatterjee, Subroto
BERGTER, L., and P.R. Seidl, Complete assignment of the carbon-13 NMR spectrum of oiticica oil: interpretation of chemical shifts in conjugated systems, 44
BHARGAVA, P., P.S. Rao, A. Vajreshwar and R. Shankar, Total gangliosides, ganglioside species and the activity of neuraminidase in different brain regions and spinal cord of normal and undernourished rats, 179
BILTONEN, RODNEY L. See Lichtenberg, Dov
BLEAU, G. See Le Grimellec, C.
BLUMER, A., S.M. Watt and W.J. Simmonds, Homeostasis of mucosal cholesterol in the small intestine of the rat, 721
BRAY, TAMMY M. See Kirkland, James B.
BRECKENRIDGE, W. CARL, Peter J. Dolphis and Meng H. Tan, Distribution of the molecular species of phospholipids in human umbilical cord blood, 337
See Myher, J.J.
BRENNER, R.R. See Irazu, C.E.
See Dumm, I.N.T. de G.
See Peluffo, R.C.
BRYCE, F. See Conacher, H.B.S.
BURGER, WARREN C. See Qureshi, Asaf A.
BURTNESS, BARBARA. See Conner, Robert L.

C

CALVERT, D.T. See Christie, W.W.
CARROLL, KENNETH K. See Ravi, Kothapalli
CARTER, WILLIAM J. See Dang, An-Quoc
CHABERT, C. See Lafont, H.
CHADHA, R.K. See Conacher, H B.S.
See Lawrence, James F.
CHAN, HENRY W.S. See Peers, Kenneth E.
CHAN, PHILLIP C. See Ding, Al-Hao
CHANUSSOT, F. See Lafont, H.
CHARBONNEAU, S.M. See Conacher, H.B.S.
CHARBONNIER-AUGIERE, M. See Lafont, H.
CHARNOCK, J.S., M.Y. Abeywardena, E. J. McMurchie and G.R. Russell, The composition of cardiac phospholipids in rats fed different lipid supplements, 206
See Gibson, R.A.
CHATTERJEE, SUBROTO, William R. Bell and Peter O. Kwiterovich Jr., Distribution of antithrombin III and glucosylceramide in human plasma lipoproteins and lipoprotein deficient plasma, 363
CHEESEMAN, C.I. See Thomson, A.B.R.
CHEVALIER, J.L. See Peyronel, D.
CHIN, JANE H., and Dora B. Goldstein, Cholesterol blocks the disordering effects of ethanol in biomembranes, 929

Annual Index

Volume 19
1984

Authors

A

ABEYWARDENA, M.Y. See Charnock, J.S.
ADAMSON, GERALD L. See Kahlon, Talwinder S.
AHMED, AHMED A. and Bruce J. Holub, Alteration and recovery of bleeding times, platelet aggregation and fatty acid composition of individual phospholipids in platelets of human subjects receiving a supplement of cod-liver oil, 617
ALAM, B.S. See Alam, S.Q.
ALAM, S.Q., and B.S. Alam, Lung surfactant and fatty acid composition of lung tissue and lavage of rats fed diets containing different lipids, 38
ALBERS, J.J., See Hazzard, W.R.
ALEXANDER, J.C. See Yoshida, Hiromi
ALLEN, William V. See Sheridan, Mark A.
ANSARI, K. See Kaplan, E.
APPLEBAUM-BOWDEN, D. See Hazzard, W.R.
ARAKAWA, N. See Mori, N.
ARTAUD, J. See Peyronel, D.
ASHES, J.R., L.J. Cook and G.S. Sidhu, Effect of dietary cholesterol protected against ruminal hydrogenation on the plasma cholesterol and liver of sheep, 159
AYANOGLU, ESER. See Dasgupta, Amitava
AYAZ, K. LUND. See Csallany, A.S.

B

BAKER, N., Letter to the Editor, 139
BALIS, J.U. See Shelley, S.A.
BASCETTA, EMANUELE, Frank D. Gunstone and Charles M. Scrimgeour, The purification of fatty acid methyl esters by high pressure liquid chromatography, 801
BAUER, J.E., and S.J. Covert, The influence of protein and carbohydrate type on serum and liver lipids and liproprotein cholesterol in rabbits, 844
BAZAN, NICOLAS G. See Reddy, T. Sanjeeva
BELL, WILLIAM R. See Chatterjee, Subroto
BERGTER, L., and P.R. Seidl, Complete assignment of the carbon-13 NMR spectrum of oiticica oil: interpretation of chemical shifts in conjugated systems, 44
BHARGAVA, P., P.S. Rao, A. Vajreshwar and R. Shankar, Total gangliosides, ganglioside species and the activity of neuraminidase in different brain regions and spinal cord of normal and undernourished rats, 179
BILTONEN, RODNEY L. See Lichtenberg, Dov
BLEAU, G. See Le Grimellec, C.
BLUMER, A., S.M. Watt and W.J. Simmonds, Homeostasis of mucosal cholesterol in the small intestine of the rat, 721
BRAY, TAMMY M. See Kirkland, James B.
BRECKENRIDGE, W. CARL, Peter J. Dolphis and Meng H. Tan, Distribution of the molecular species of phospholipids in human umbilical cord blood, 337
See Myher, J.J.
BRENNER, R.R. See Irazu, C.E.
See Dumm, I.N.T. de G.
See Peluffo, R.C.
BRYCE, F. See Conacher, H.B.S.
BURGER, WARREN C. See Qureshi, Asaf A.
BURTNESS, BARBARA. See Conner, Robert L.

C

CALVERT, D.T. See Christie, W.W.
CARROLL, KENNETH K. See Ravi, Kothapalli
CARTER, WILLIAM J. See Dang, An-Quoc
CHABERT, C. See Lafont, H.
CHADHA, R.K. See Conacher, H B.S.
See Lawrence, James F.
CHAN, HENRY W.S. See Peers, Kenneth E.
CHAN, PHILLIP C. See Ding, Al-Hao
CHANUSSOT, F. See Lafont, H.
CHARBONNEAU, S.M. See Conacher, H.B.S.
CHARBONNIER-AUGIERE, M. See Lafont, H.
CHARNOCK, J.S., M.Y. Abeywardena, E. J. McMurchie and G.R. Russell, The composition of cardiac phospholipids in rats fed different lipid supplements, 206
See Gibson, R.A.
CHATTERJEE, SUBROTO, William R. Bell and Peter O. Kwiterovich Jr., Distribution of antithrombin III and glucosylceramide in human plasma lipoproteins and lipoprotein deficient plasma, 363
CHEESEMAN, C.I. See Thomson, A.B.R.
CHEVALIER, J.L. See Peyronel, D.
CHIN, JANE H., and Dora B. Goldstein, Cholesterol blocks the disordering effects of ethanol in biomembranes, 929

CHITRAKORN, SARAWANEE. See Parish, Edward J.
CHITWOOD, DAVID J., William R. Lusby, Ruben Lozano, Malcolm J. Thompson and James A. Svoboda, Sterol metabolism in the nematode *Caenorhabditis elegans*, 500
CHO, Y.-J. See Watanabe, M.
CHRISTIE, W.W., R.A. Clegg, D.T. Calvert and R.C. Noble, The positional distributions of fatty acids in the triacylglycerols and phosphatidylcholines of the intestinal and popliteal lymph and plasma of sheep, 982
CHRISTIANSEN, E. See Nilsson, A.
CHU, F.-L., and K.L. Webb, Polyunsaturated fatty acids and neutral lipids in developing larvae of the oyster, *Crassostrea Virginica*, 815
CLEGG, R.A. See Christie, W.W.
COHEN, BERTRAM I., Anil K. Singhal, Richard J. Stenger, Patricia May-Donath, Judith Finver-Sadowsky, Charles K. McSherry and Erwin H. Mosbach, Effects of bile acid oxazolines on gallstone formation in prairie dogs, 515
COLANDUONI, JOHN. See Gibian, Morton J.
CONACHER, H.B.S., R.K. Chadha, J.F. Lawrence, S.M. Charbonneau and F. Bryce, Mammary transfer and metabolism in the rat of halogenated fatty acids of halogenated olive oil, 637
See Lawrence, James F.
CONIGLIO, JOHN G. See Marzouki, Zohair M.H.
CONNER, ROBERT L., Barbara Burtness and Karen A. Ferguson, Fatty acid desaturase specificity in *Tetrahymena*, 285
CONNOR, K. See Noble, R.C.
COOK, L.J. See Ashes, J.R.
COONEY, ROBERT V., Jeffrey Nemhauser and Robert J. Morin, Inhibition of human lecithin cholesterol acyltransferase by Monoterpenes, 371
CORNATZER, W.E., D.R. Hoffman and J.A. Hanivig, The effect of embryological development on phosphatidylethanolamine methyltransferase and choline phosphotransferase of rabbit liver microsomes, 1
CORNWELL, DAVID G. See Morisaki, Nobuhiro
CORRAZE, G., C. Lacombe and M. Nibbelink, Influence of cholesterol feeding and dietary restriction on cholesterol absorption in rabbits, 812
COVERT, S.J. See Bauer, J.E.
COX, SANDRA M. See Rohwedder, William K.
COXON, DAVID T. See Peers, Kenneth E.
CSALLANY, A.S., K. Lund Ayaz and B. Zaspel Menken, Effect of dietary vitamin E upon fluorescent compounds of the rat uterus, 911
CSENGERI, I. See Farkas, T.
CUNNANE, S.C. See Horrobin, David F.

D

DAIGNEAULT, A. See Le Grimellec, C.
DASGUPTA, AMITAVA, Eser Ayanoglu and Carl Djerassi, Phospholipid studies of marine organisms: new branched fatty acids from *Strongylophora durissima*, 768
DANG, AN-QUOC, Fred H. Faas and William J. Carter, Effects of streptozotocin-induced diabetes on phosphoglyceride metabolism of the rat liver, 738
F.H. Faas and W.J. Carter, Effects of streptozotocin-induced diabetes on microsomal long-chain fatty acyl-CoA synthetase and hydrolase, 578
DE ALANIZ, M.J.T. See Dumm, I.N.T. de G.
DE TOMAS, M.E. See Tournier, H.
DHOPESHWARKAR, G.A. See Menon, N.K.
DIN, ZAFEER A. See Qureshi, Asaf A.
DING, AL-HAO, and Phillip C. Chan, Singlet oxygen in copper-catalyzed lipid peroxidation in erythrocyte membranes, 278
DILLARD, C.J., J.E. Downey and A.L. Tappel, Effect of antioxidants on lipid peroxidation in iron-loaded rats, 127
DIX, BARBARA A. See Georgopapadakou, Vafsika H.
DJERASSI, CARL. See Dasgupta, Amitava
DOLORESCO, M.A. See Rosenthal, M.D.
DOLPHIS, PETER J. See Breckenridge, W. Carl
DOMINGUEZ, J.B. See Zuñeda, M.C.
DONALDSON, STEVE. See Lichtenberg, Dov
DOWNEY, J.E. See Dillard, C.J.
DRAPER, H.H., L. Polensek, M. Hadley and L.G. McGirr, Urinary malondialdehyde as an indicator of lipid peroxidation in the diet and in the tissues, 836
DUMM, I.N.T. de G., M.J.T. de Alaniz, and R.R. Brenner, Daily variations of the biosynthesis and composition of fatty acids in rats fed on complete and fat-free diets, 91
DUPUY, C. See Lafont, H.

E

EILENBERG, HAVIVA, and Ishaiahu Shechter, A possible regulatory role of squalene epoxidase in Chinese hamster ovary cells, 539
ELSON, CHARLES E. See Qureshi, Asaf A.
ERDAHL, W.L. See Phillips, F.C.

F

FAAS, FRED H. See Dang, An-Quoc
FARKAS, T., Gy Nemecz and I. Csengeri, Differential response of lipid metabolism and membrane physical state by an actively and passively overwintering planktonic crustacean, 436
FEREZOU, J. See Sulpice, J.C.
FERGUSON, KAREN A. See Conner, Robert L.
FINVER-SADOWSKY, JUDITH. See Cohen, Bertram I.
FOGLEMAN, J.C. See Kircher, H.W.
FOGLIA, THOMAS A. See Marmer, William N.
FRANKEL, E.N., W.E. Neff and E. Selke, Analysis of autoxidized fats by gas chromatography-mass spectrometry. IX. Homolytic vs. heterolytic cleavage of primary and secondary oxidation products, 790
W.E. Neff, Photosensitized oxidation of methyl linolenate monohydroperoxides: Hydroperoxy cyclic peroxides, dihydroperoxides and hydroperoxy bis-cyclic peroxides, 952
FRANSON, RICHARD G. See Kramer, Caroline M.
FREMONT, L., C. Leger, B. Petridou and M.T. Gozzelino, Effects of a (n-3) polyunsaturated fatty acid-deficient diet on profiles of serum vitellogenin and lipoprotein in vitellogenic trout (*Salmo gairdneri*), 522
FRICKE, H., G. Gercken, W. Schreiber and J. Oehlenschlager, Lipid, sterol and fatty acid composition

of antarctic krill (*Euphausia superba Dana*), 821
FUKUDA, H. See Iritani, N.

G

GAGNE, C. See Hazzard, W.R.
GAGOSIAN, ROBERT B. See Volkman, John K.
GANDARIAS, J.M., M. Lacort and B. Ochoa, Cholesteryl ester hydrolysis in rat liver cytosol. Modulation by female sex hormones, 916
GANGL, A. See Renner, F.
GARDNER, CLARK F. See Peric-Golia, Ludvik
GARDNER, H.W., and R.D. Plattner, Linoleate hydroperoxides are cleaved heterolytically into aldehydes by a Lewis acid in aprotic solvent, 294
E. Selke, Volatiles from thermal decomposition of isomeric methyl (12S-13S)-(E)-12,13-epoxy-9-hydroperoxy-10-octadecenoates, 375
GARNER, C.W., Peroxidation of free and esterified fatty acids by horseradish peroxidase, 863
GEORGOPAPADAKOU, VAFSIKA H., and Barbara A. Dix, A modified radiometric assay for 3-hydroxy-3-methylglutaryl coenzyme A reductase, 966
GERCKEN, G. See Fricke, H.
GIBIAN, MORTON J. and John Colanduoni, Physical state of inhibitor fatty acids and linoleate solutions under lipoxygenase assay conditions, 164
GIBSON, R.A., and G.M. Kneebone, A lack of correlation between linoleate and arachidonate in human breast milk, 469
E.J. McMurchie, J.S. Charnock and G.M. Kneebone, Homeostatic control of membrane fatty acid composition in the rat after dietary lipid treatment, 942
GLINES, LAURA A., See Kahlon, Talwinder S.
GNONI, G.V. See Ruggiero, F.M.
GOLDSTEIN, DORA B. See Chin, Jane H.
GOÑI, F.M. See Zuñeda, M.C.
GONZALEZ, M.S. See Peluffo, R.C.
GOTOH, MINEHIRO. See Nomura, Takahide
GOZZELINO, M.T. See Fremont, L.
GREER, WILLIAM E. See Nelson, Charles A.
GROGAN, W. McLEAN, Metabolism of arachidonate in rat testis: characterization of 26-30 carbon polyenoic acids, 341
GROS, EDUARDO G. See Seldes, Alicia M.
GUILLENEA, J.J. See Zuñeda, M.C.
GUNSTONE, FRANK D. See Bascetta, Emanuele

H

HADLEY, M. See Draper, H.H.
HAGINO, YASUMICHI. See Nomura, Takahide
HALVORSON, D.L. and S.A. McCune, Inhibition of fatty acid synthesis in isolated adipocytes by 5-(tetradecyloxy)-2-furoic Acid, 851
HANING, J.A. See Cornatzer, W.E.
HASSALL, CEDRIC H., and Stephen J. Kirtland, Dihomo-γ-linolenic acid reverses hypertension induced in rats by diets rich in saturated fat. 699
HAZEL, J.R. See Neas, N.P.
HAUTON, J.C. See Lafont, H.
HAZZARD, W.R., P.W. Wahl, C. Gagne, D. Applebaum-Bowden, G. Russell Warnick and J.J. Albers, Plasma and lipoprotein lipid responses to four hypolipid drugs, 73
HIRONO, H., Lipids of liver, kidney, spleen and muscle in a case of generalized deficiency of cytochrome b_5 reductase in congenital methemoglobinemia with mental retardation, 60
HOFFMAN, D.R. See Cornatzer, W.E.
HOLLAND, D.L. See Waldock, M.J.
HOLUB, BRUCE J. See Ahmed, Ahmed A.
See Leach, A.B.
HORROBIN, DAVID F., Y.S. Huang, S.C. Cunnane and M.S. Manku, Essential fatty acids in plasma, red blood cells and liver phospholipids in common laboratory animals as compared to humans, 806
See Huang, Y.S.
HOSOKAWA, GLENN, Glenn W. Patterson and William R. Lusby, Effects of triarimol, tridermorph and triparanol on sterol biosynthesis in carrot, tobacco and soybean suspension cultures, 449
HUANG, C. See Wu, W.
HUANG, Y.S., D.F. Horrobin, M.S. Manku, J. Mitchell and M.A. Ryan, Tissue phospholipid fatty acid composition in the diabetic rat, 367
M.S. Manku and D.F. Horrobin, The effects of dietary cholesterol on blood and liver polyunsaturated fatty acids and on plasma cholesterol in rats fed various types of fatty acid diet, 664
See Horrobin, David F.
HURLEY, B. See Severson, D.L.

I

IATRIDES, M.C. See Peyronel, D.
IDE, T. See Watanabe, M.
IDO, Y. See Kikugawa, K.
IGUCHI, AKIHISA. See Nomura, Takahide
IIO, TOSHIHIRO. See Tanaka, Mitsuo
IKEDA, Y. See Iritani, N.
IMAI, YOH. See Nishihira, Jun
See Nishikawa, M.
INGENBLEEK, YVES. See Traitler, Helmut
IRAZU, C.E., R.J. Pollero and R.R. Brenner, Occurrence of a 22:2 nonmethylene interrupted dienoic fatty acid and its seasonal distribution among lipids and tissues of the fresh water bivalve *Diplodon delodontus* from an isolated environment, 649
IRITANI, N., Y. Ikeda, H. Fukuda and A. Katsurada, Comparative study of lipogenic enzymes in several vertebrates, 828
ISHIBASHI, TERUO. See Nishihira, Jun
IVERSON, FRANK. See Lawrence, James F.
IZAKI, YAEKO, Shunichi Yoshikawa and Mitsuru Uchiyama, Effect of ingestion of thermally oxidized frying oil on peroxidative criteria in rats, 324

J

JAWORSKI, JAN G. See Nabors, Lola A.
JOHNSON, J.E. See Mahfouz-Cercone, S.

K

KAHLON, TALWINDER S., Gerald L. Adamson, Laura A. Glines, Frank T. Lindgren, and Marie A. Laskaris, Analytic ultracentrifuge calibration and determination of lipoprotein-specific refractive increments, 558
KAIMAL, T.N.B. See Shantha, N.C.

KAPLAN, E., and K. Ansari, Reduction of polyunsaturated fatty acid hydroperoxides by human brain glutathione peroxidase, 784
KASINATHAN, C., and G.K. Khuller, Phospholipid synthesizing enzymes of dermatophytes III. Glycerol kinase of dermatophytes, 289
KATES, M. See Osagie, A.U.
See Pugh, E.L.
KATSURADA, A. See Iritani, N.
KAWASHIMA, YOICHI, Yuke Tachibana, Sayuri Nakagawa and Hiroshi Kozuka, Species difference of liver cytosolic fatty acid-binding protein in rat, mouse and guinea pig, 481
KAWATA, S. See Nishikawa, M.
KAYA, KUNIMITSU. See Kunimoto, Manabu
KENT, R.S. See Whorton, A.R.
KHULLER, G.K. See Kasinathan, C.
KIHLBERG, R. See Martins, F.M.
KIKUGAWA, K., and Y. Ido, Studies on peroxidized lipids. V. Formation and characterization of 1,4-dihydropyridine-3,5-dicarbaldehydes as model of fluorescent components in lipofuscin, 600
KIM, KEE H., Dae Y. Kwon and Joon S. Rhee, Effects of organic solvents on lipase for fat splitting, 975
KIRCHER, HENRY W., Fumiko U. Rosenstein and James C. Fogleman, Response of *Drosophila* to *cis*- and *trans*-22-dehydrocholesterol II. Ability of sterols other than cholesterol to overcome the toxicity of the *trans* isomer, 231
Fumiko U. Rosenstein and James C. Fogleman, Selective uptake and lack of dealkylation of phytosterols by cactophilic species of *Drosophila*, 235
KIRKLAND, JAMES B., and Tammy M. Bray, The effect of 3-methylindole on the uptake and incorporation of ^{14}C-choline into phospholipids in lung tissue slices, 709
KIRTLAND, STEPHEN J. See Hassall, Cedric H.
KLEMETS, RABBE, and Bo Lundberg, Purification of lysosomal cholesteryl ester hydrolase from rat liver by preparative isoelectric focusing, 692
KLURFELD, DAVID M. See Miller, Sheldon L.
See Tso, P.
KNEEBONE, G.M. See Gibson, R.A.
KOCHANSKY, J. See Lusby, W.R.
KOZUKA, HIROSHI. See Kawashima, Yoichi
KRAMER, CAROLINE M., Richard G. Franson and Ronald P. Rubin, Regulation of phosphatidylinositol turnover, calcium metabolism and enzyme secretion by phorbol dibutyrate in neutrophils, 315
KRITCHEVSKY, DAVID. See Miller, Sheldon L.
See Tso, P.
KUKSIS, A. See Myher, J.J.
KUMMEROW, F.A. See Mahfouz, M.M.
KUNIMOTO, MANABU, Kunimitsu Kaya and Takashi Miura, Composition and metabolism of fatty acids in phospholipids of density-separated red cells of rats, 443
KWITEROVICH, JR., PETER O. See Chatterjee, Subroto
KWON, DAE Y. See Kim, Kee H.

L

LACOMBE, C. See Corraze, G.
LACORT, M. See Gandarias, J.M.
LAFONT, H., F. Chanussot, C. Dupuy, P. Lechene, D. Lairon, M. Charbonnier-Augiere, C. Chabert, H. Portugal, A.M. Pauli and J.C. Hauton, Influence of acute injection of chloroquine on the biliary secretion of lipids and lysosomal enzyme on rats, 195
LAIRON, D. See Lafont, H.
LAKE, M., and D.T. Org>nisciak, Determination of the composition of mixed micelles of bile salts by kinetic dialysis, 553
LANDRISCINA, C. See Ruggiero, F.M.
LARGMAN, COREY. See Tsukamoto, Hidekazu
LARKIN, EDWARD C. See Rao, G. Ananda
See Tsukamoto, Hidekazu
LASKARIS, MARIE A. See Kahlon, Talwinder S.
LATHAN, K.R. See Tseng, Y.-C.L.
LAWRENCE, JAMES F., Rajinder K. Chadha, Frank Iverson, Peter McGuire and Henry B.S. Conacher, Brominated fatty acid distribution in tissues and fluids of rats fed brominated vegetable oils, 704
See Conacher, H.B.S.
LEACH, A.B., and Holub, B.J., The effect of dietary lipid on the lipoprotein status of the Mongolian gerbil, 25
LECHENE, P. See Lafont, H.
LEGER, C. See Fremont, L.
LEGGETT, HAROLD G. See Rogers, Van A.
Le GRIMELLEC, C., A. Daigneault, G. Bleau and K.D. Roberts, Cholesteryl sulfate-phosphatidylcholine interactions, 474
LEW, G. See Rao, G.A.
See Tsukamoto, Hidekazu
LICHTENBERG, DOV, Moshe Menashe, Steve Donaldson and Rodney L. Biltonen, Thermodynamic characterization of the pretransition of unilamellar dipalmitoyl-phosphatidylcholine vesicles, 395
LIEPA, G.U. See Mahfouz-Cercone, S.
LINDGREN, FRANK T. See Kahlon, Talwinder S.
LINDMARK, L. See Martins, F.M.
LINDSEY, JENNIFER A. See Morisaki, Nobuhiro
LITTLE, J.A. See Myher, J.J.
LOFTUS, BERNADETTE. See Miller, Sheldon L.
LOWERY, SUSAN. See Parish, Edward J.
LOZANO, RUBEN. See Chitwood, David J.
LUND, E.D., Cholesterol binding capacity of fiber from tropical fruits and vegetables, 85
LUNDBERG, BO. See Klemets, Rabbe
LUSBY, W.R., M.J. Thompson and J. Kochansky, Analysis of sterol esters by capillary gas chromatography-electron impact and chemical ionization-mass spectrometry, 888
See Chitwood, David J.
See Hosokawa, Glenn

M

MACLEAN, N. See Vost, A.
MAHFOUZ-CERCONE, S., J.E. Johnson and G.U. Liepa, Effect of dietary animal and vegetable protein on gallstone formation and biliary constituents in the hamster, 5
MAHFOUZ, M.M., T.L. Smith and F.A. Kummerow, Effect of dietary fats on desaturase activities and the biosynthesis of fatty acids in rat-liver microsomes, 214
MANKU, M.S. See Horrobin, David F.

See Huang, Y.S.
MARMER, WILLIAM N., Thomas A. Foglia and Peter D. Vail, HPLC of plasmalogen-containing phosphatidylcholine under reverse-phase or argentation conditions, 353
MARTIN, B.A., and R.F. Wilson, Subcellular localization of triacylglycerol synthesis in spinach leaves, 117
MARTINS, F.M., A. Wennberg, S. Meurling, R. Kihlberg and L. Lindmark, Serum lipids and fatty acid composition of tissues in rats on total parenteral nutrition (TPN), 728
MARZOUKI, ZOHAIR M.H., and John G. Coniglio, The effects of hypophysectomy and testosterone treatment on the composition and metabolism of testicular lipids, 609
MASON, J.T. See Wu, W.
MATSUZAWA, Y. See Nishikawa, M.
MAY-DONATH, PATRICIA. See Cohen, Bertram I.
McCUNE, S.A. See Halvorson, D.L.
McGUIRE, PETER. See Lawrence, James F.
McELHANEY, RONALD N. See Wu, Guey-Shuang
McGIRR, L.G. See Draper, H.H.
McMURCHIE, E.J. See Charnock, J.S.
See Gibson, R.A.
McSHERRY, CHARLES K. See Cohen, Bertram I.
MEAD, J.F. See Menon, N.K.
See Wu, Guey-Shuang
MENASHE, MOSHE. See Lichtenberg, Dov
MENKEN, B. ZASPEL. See Csallany, A.S.
MENON, N.K., G.A. Dhopeshwarkar and J.F. Mead, Restriction of maternal food intake inhibits fatty acid activation in developing rat hearts, 122
MERCURI, O. See Tournier, H.
MEURLING, S. See Martins, F.M.
MIETTINEN, T.A. See Strandberg, T.E.
MILLER, SHELDON L., David M. Klurfeld, Bernadette Loftus and David Kritchevsky, Effect of essential fatty acid deficiency on myelin proteins, 478
MINAMI, Y. See Nishikawa, M.
MITCHELL, J. See Huang, Y.S.
MIURA, TAKASHI. See Kunimoto, Manabu
MIYOSHI, S. See Nishikawa, M.
MORI, N., T. Murase, N. Yamada, N. Arakawa and F. Takaku, Wide variations of plasma triglyceride concentrations in guinea pigs, 978
MORIN, ROBERT J. See Cooney, Robert V.
MORISAKI, NOBUHIRO, Jenifer A. Lindsey, Judith M. Stitts, Hanfang Zhang and David G. Cornwell, Fatty acid metabolism and cell proliferation, V. Evaluation of pathways for the generation of lipid peroxides, 381
MORGAN, MARJORIE S. See Habors, Lola A.
MORRIS, MANFORD D. See Nelson, Charles A.
MOSBACH, ERWIN H. See Cohen, Bertram I.
MULLER, LUCIANO. See Nicolaides, N.
MURAMATSU, TOSHIO. See Nishihira, Jun
MURASE, T. See Mori, N.
MYHER, J.J., A. Kuksis, W.C. Breckenridge and J.A. Little, Studies of triacyglocerol structure of very low density lipoproteins of normolipemic subjects and patients with type III and type IV hyperlipoproteinemia, 683
A. Kuksis and G. Steiner, Milk fat structure of a patient with type 1 hyperlipidemia, 673

N

NABORS, LOLA A., Marjorie S. Morgan, David W. Newman and Jan G. Jaworski, Preferential metabolism of linoleic acid by five-day-old barley shoots, 507
NADENICEK, J.D. See Phillips, F.C.
NAIR, VASU, and Gregory A. Turner, The thiobarbituric acid test for lipid peroxidation: structure of the adduct with malondialdehyde, 804
NAKAGAWA, SAYURI. See Kawashima, Yoichi
NEAS, N.P., and J.R. Hazel, Temperature-dependent deacylation of molecular species of phosphatidylcholine by microsomal phospholipase A_2 of thermally acclimated rainbow trout, *Salmo gairdneri*, 258
NEFF, W.E. See Frankel, E.N.
NELSON, CHARLES A., William E. Greer and Manford D. Morris, The distribution of serum high density lipoprotein subfractions in non-human primates, 656
NEMECZ, GY. See Farkas, T.
NEMHAUSER, JEFFREY. See Cooney, Robert V.
NERVI, A.M. See Peluffo, R.C.
NES, W. DAVID, and Allan E. Stafford, Side-chain structural requirements for sterol-induced regulation of *Phytophthora cactorum* physiology, 544
NEWMAN, DAVID W. See Nabors, Lola A.
NIBBELINK, M. See Corraze, G.
NICOLAIDES, N., Evelyn C. Santos and Konstantine Papadakis, Double-bond patterns of fatty acids and alcohols in steer and human meibomian gland lipids, 264
Evelyn C. Santos, Konstantine Papadakis, Edward C. Ruth and Luciano Muller, The occurrence of long chain α,ω-diols in the lipids of steer and human meibomian glands, 990
NILSSON, A., M.S. Thomassen and E. Christiansen, Long-chain acyl-CoA levels in liver from rats fed high-fat diets: Is it of significance for an increased peroxisomal β-oxidation?, 187
NISHIHIRA, JUN, Teruo Ishibashi, Yoh Imai and Toshio Muramatsu, Mass spectrometric evidence for the presence of platelet-activating factor (1-0-alkyl-2-acetyl-*sn*-glycero-3-phosphocholine) in human amniotic fluid during labor, 907
NISHIKAWA, M., K. Seki, Y. Matsuzawa, Y. Minami, S. Kawata, S. Miyoshi, Y. Imai, R. Saitoh, S. Noda, S. Tamura and S. Tarui, Effect of high doses of synthetic estrogen on lipid metabolism in castrated male rats, 777
NG, S., High field ^{13}C nuclear magnetic resonance spectrum of the olefinic carbons of the triglycerides of palm oil, 56
NOBLE, R.C., and K. Connor, A unique lipid pattern associated with the gall bladder bile of the chick embryo, 64
See Christie, W.W.
NODA, S. See Nishikawa, M.
NOMURA, TAKAHIDE, Yasumichi Hagino, Minehiro Gotoh, Akihisa Iguchi and Nobuo Sakamoto, The effects of streptozotocin diabetes on tissue specific lipase activities in the rat, 594
NUTTER, L.J. See Phillips, F.C.

O

OCHOA, B. See Gandarias, J.M.
OEHLENSCHLÄGER, J. See Fricke, H.
OGILVIE, J.T. See Subbaiah, P.V.
ORGANISCIAK, D.T. See Lake, M.
ORY, R.L. See St. Angelo, A.J.
OSAGIE, A.U., and M. Kates, Lipid composition of millet (*Pennisetum* americanum) seeds, 958

P

PACIGA, J.E. See Shelley, S.A.
PAPADAKIS, KONSTANTINE. See Nicolaides, N.
PARISH, EDWARD J., Sarawanee Chitrakorn and Susan Lowery, Selective oxidation of steroidal allylic alcohols using pyrazole and pyridinium chlorochromate, 550
PATTERSON, GLENN W. See Hosokawa, Glenn
PAULI, A.M. See Lafont, H.
PEERS, KENNETH E., David T. Coxon and Henry W.S. Chan, Thermal decomposition of individual positional isomers of methyl linolenate hydroperoxides, hydroperoxy cyclic peroxides and dihydroperoxides, 307
PELUFFO, R.C., A.M. Nervi, M.S. Gonzalez and R.R. Brenner, Effect of different amino acid diets on Δ5, Δ6 and Δ9 desaturases, 154
PERIC-GOLIA, LUDVIK, Clark F. Gardner, Dana E. Wilson and Milena Peric-Golia, The effect of neurotensin on the concentration of cholesterol and bile acids in the guinea pig, 749
PERIC-GOLIA, MILENA. See Peric-Golia, Ludvik
PESSONEY, GEORGE F. See Rogers, Van A.
PETRIDOU, B. See Fremont, L.
PEYRONEL, D., J. Artaud, M.C. Iatrides, P. Rancurel and J.L. Chevalier, Fatty acid and squalene compositions of Mediterranean *Centrophorus* SPP egg and liver oils in relation to age, 643
PHILLIPS, F.C., W.L. Erdahl, J.D. Nadenicek, L.J. Nutter, J.A. Schmit and O.S. Privett, Analysis of triglyceride species by high performance liquid chromatography via a flame ionization detector, 142
PINKSTON, G. See Tso, P.
PLATTNER, R.D. See Gardner, H.W.
PODOJIL, MILOSLAV. See Rezanaka, Tomas
POLENSEK, L. See Draper, H.H.
POLLERO, R.J. See Irazu, C.E.
PORTUGAL, H. See Lafont, H.
PRADO, A. See Zuneda, M.C.
PRENTICE, NEVILLE. See Qureshi, Asaf A.
PRIVETT, O.S. See Phillips, F.C.
PUGH, E.L., and M. Kates, Acyl-acyl carrier protein as substrate of the acyltransferase of rat liver microsomes, 359
Kates, M., The dietary regulation of acyltransferase and desaturase activities in microsomal membranes of rat liver, 48

Q

QUAGLIARIELLO, E. See Ruggiero, F.M.
QURESHI, ASAF A., Neville Prentice, Safeer Z. Din, Warren C. Burger, Charles E. Elson and Milton L. Sunde, Influence of culture filtrate of *Trichoderma viride* and barley on lipid metabolism of laying hens, 250

R

RANCUREL, P. See Peyronel, D.
RAO, G.A., G. Lew and E.C. Larkin, Alcohol ingestion and levels of hepatic fatty acid synthetase and stearoyl-CoA desaturase activities in rats, 151
Diana E. Riley and Edward C. Larkin, Fatty liver caused by chronic alcohol ingestion is prevented by dietary supplementation with pyruvate or glycerol, 583
See Tsukamoto, Hidekazu
RAO, P.S. See Bhargava, P.
RAVI, KOTHAPALLI, Jack W. Rip and Kenneth K. Carroll, Differences in polyisoprenoid alcohols of mono- and dicotyledonous seeds, 401
REDDY, T. SAMJEEVA, and Nicolas G. Bazan, Activation of polyunsaturated fatty acids by rat tissues in vitro, 987
RENNER, F., G. Schernthaner and A. Gangl, Intestinal metabolism of plasma free fatty acids in streptozotocin diabetic rats, 875
REZANKA, TOMAS and Miloslav Podojil, The very long chain fatty acids of the green alga, *Chlorella kessleri*, 472
RHEE, JOON.S. See Kim, Kee H.
RICHLI, URS. See Traitler, Helmut
RILEY, DIANA E. See Rao, G. Ananda
RIP, JACK W. See Ravi, Kothapalli
ROBERTS, K.D. See Le Grimellec, C.
ROGERS, VAN A., Robert T. Van Aller, George F. Pessoney, Edward J. Watkins and Harold G. Leggett, A rapid procedure for screening and isolating oxygenated free fatty acid metabolites from plants and natural waters, 304
ROHWEDDER, WILLIAM K., and Sandra M. Cox, Hydrogenation of unsaturated fatty esters during isobutane chemical ionization mass spectrometry, 466
ROSENSTEIN, FUMIKO U. See Kircher, Henry W.
ROSENTHAL, M.D., and M.A. Doloresco, The effects of *trans* fatty acids on fatty acyl Δ5 desaturation by human skin fibroblasts, 869
RUBIN, RONALD P. See Kramer, Caroline M.
RUGGIERO, F.M., C. Landriscina, G.V. Gnoni and E. Quagliariello, Lipid composition of liver mitochondria and microsomes in hyperthyroid rats, 171
RUSSELL, G.R. See Charnock, J.S.
RUTH, EDWARD C. See Nicolaides, N.
RYAN, M.A. See Huang, Y.S.

S

SAITOH, R. See Nishikawa, M.
SAKAMOTO, NOBUO. See Nomura, Takahide
SANTOS, EVELYN C. See Nicolaides, N.
SARGENT, JOHN R. See Tocher, Douglas R.
SCHERNTHANER, G. See Renner, F.
SCHMIDT, J.A. See Phillips, F.C.
SCHREIBER, W. See Fricke, H.
SCRIMGEOUR, CHARLES M. See Bascetta, Emanuele
SEIDL, P.R. See Bergter, L.
SEKI, K. See Nishikawa, M.
SELDES, ALICIA M., and Eduardo G. Gros, Steroids from aquatic organisms: V. Main sterols of the fresh water snail, *Biomphalaria tenagophila*, 229
SELKE, E. See Frankel, E.N.

See Gardner, H.W.
SEVERSON, D.L., and B. Hurley, Inhibition of the hormone-sensitive lipase in adipose tissue by long-chain fatty acyl coenzyme A, 134
SHANKAR, R. See Bhargava, P.
SHANTHA, N.C., and T.N.B. Kaimal, Mass spectrometric location of double bonds in unsaturated fatty acids including conjugated acids as their methoxybromo derivatives, 971
SHEARER, WILLIAM T. and Robert G. Ulrich, Incorporation of fatty acids into phospholipids in L cells stimulated by antibody, 239
SHECHTER, ISHAIAHU. See Eilenberg, Haviva
SHEEHAN, P.M., and Y.-Y. Yeh, Pathways of acetyl CoA production for lipogenesis from acetoacetate, β-hydroxybutyrate, pyruvate and glucose in neonatal rat lung, 103
SHELLEY, S.A., J.E. Paciga and J.U. Balis, Lung surfactant phospholipids in different animal species, 857
SHERIDAN, MARK A., and William V. Allen, Partial purification of a triacylglycerol lipase isolated from steelhead trout (*Salmo gairdneri*) adipose tissue, 347
SIDHU, G.S. See Ashes, J.R.
SIMMONDS, W.J. See Blumer, A.
SINGHAL, ANIL K. See Cohen, Bertram I.
SMITH, T.L. See Mahfouz, M.M.
STAFFORD, ALLAN E. See Nes, W. David
ST. ANGELO, A.J., and R.L. Ory, Lipoxygenase inhibition by naturally occurring monoenoic fatty acid, 34
STEIN, ROBERT A. See Wu, Guey-Shuang
STEINER, G. See Myher, J.J.
STENGER, RICHARD J. See Cohen, Bertram I.
STEPHENSON, F.A. See Wu, W.
STITTS, JUDITH M. See Morisaki, Nobuhiro
STRANDBERG, T.E., R.S. Tilvis and T.A. Miettinen, Diurnal variation of plasma methyl sterols and cholesterol in the rat: relation to hepatic cholesterol synthesis, 202
SUBBAIAH, P.V., and J.T. Ogilvie, Increased lysolecithin acyltransferase activity in the plasma of type II hyperlipoproteinemic patients, 80
SUGANO, M. See Watanabe, M.
SULPICE, J.C., and J. Ferezou, Squalene isolation by HPLC and quantitative comparison by HPLC and GLC, 631
SUNDE, MILTON L. See Qureshi, Asaf A.
SVOBODA, JAMES A. See Chitwood, David J.
SWIFT, MARY L., Analysis of molluscan sterols: colorimetric methods, 625

T

TABATA, TOSHIKAZU. See Tanaka, Mitsuo
TACHIBANA, YUKE. See Kawashima, Yoichi
TAKAKU, F. See Mori, N.
TAMURA, S. See Nishikawa, M.
TAN, MENG H. See Breckenridge, W. Carl
TANAKA, MITSUO, Ryooji Yonekura, Toshihiro Iio and Toshikazu Tabata, Characterization of a cytosolic protein inhibiting lysosomal acid cholesteryl ester hydrolase, 714
TAPPEL, A.L. See Dillard, C.J.
TARUI, S. See Nishikawa, M.
THOMASSEN, M.S. See Nilsson, A.
THOMPSON, MALCOLM J. See Chitwood, David J. See Lusby, W.R.
THOMSON, A.B.R., C.I. Cheeseman and K. Walker, Effect of external abdominal irradiation on the dimensions and characteristics of the barriers to passive transport in the rat intestine, 405
TILVIS, R.S. See Strandberg, T.E.
TOCHER, DOUGLAS R., and John R. Sargent, Analyses of lipids and fatty acids in ripe roes of some northwest European marine fish, 492
TOU, JEN-SIE, Incorporation of arachidonic acid and eicosapentaenoic acid into phospholipids by polymorphonuclear leukocytes in vitro, 573
TOURNIER, H., G. Yaryour, O. Mercuri and M.E. De Tomas, Effect of protein depletion on the VLDL triacylglycerol secretion and apoprotein synthesis by the perfused liver from pregnant rats, 902
TRAITLER, HELMUT, Heike Winter, Urs Richli and Yves Ingenbleek, Characterization of γ-linolenic acid in *Ribes* seed, 923
TSENG, Y.-C.L., and K.R. Latham, Iodothyronines: oxidative deiodination by hemoglobin and inhibition of lipid peroxidation, 96
TSO, P., G. Pinkston, D.M. Klurfeld and D. Kritchevsky, The absorption and transport of dietary cholesterol in the presence of peanut oil or randomized peanut oil, 11
TSUKAMOTO, HIDEKAZU, Gail Lew, Edward C. Larkin, Corey Largman and G. Ananda Rao, Hepatic origin of triglycerides in fatty livers produced by the continuous intragastric infusion of an ethanol diet, 419
TURNER, GREGORY A. See Nair, Vasu

U

UCHIYAMA, MITSURU. See Izaki, Yaeko
ULRICH, ROBERT G. See Shearer, William T.

V

VAIL, PETER D. See Marmer, William N.
VAJRESHWAR, A. See Bhargava, P.
VAN ALLER, ROBERT T. See Rogers, Van A.
VOLKMAN, JOHN K., Robert B. Gagosian and Stuart G. Wakeham, Free and esterified sterols of the marine *Dinoflagellate Gonyaulax* polygramma, 457
VOST, A., and N. Maclean, Hydrocarbon transport in chylomicrons and high-density lipoproteins in rat, 423

W

WAHL, P.W. See Hazzard, W.R.
WAKEHAM, STUART G. See Volkman, John K.
WALKER, K. See Thomson, A.B.R.
WALDOCK, M.J., and D.L. Holland, Fatty acid metabolism in young oysters, *Crassostrea gigas:* polyunsaturated fatty acids, 332
WARNER, JEAN K. See Yates, Allan J.
WARNICK, G.R. See Hazzard, W.R.
WATANABE, M., Y.-J. Cho, T. Ide and M. Sugano, Effects of different levels of dietary *trans*-octadecenoate on steroid metabolism in rats, 109
WATKINS, EDWARD J. See Rogers, Van A.
WATT, S.M. See Blumer, A.

WEBB, K.L. See Chu, F.-L.
WENNBERG, A. See Martins, F.M.
WHITE, ROBERT H., The biosynthesis of n-($^2H_7$) fatty acids by *Arthrobacter globiformis* from (U-$^2H_{15}$) octanoic acid, 570
WHORTON, A.R., C.E. Willis, R.S. Kent and S.L. Young, The role of calcium in the regulation of prostacyclin synthesis by porcine aortic endothelial cells, 17
WILLIS, C.E. See Whorton, A.R.
WILSON, DANA E. See Peric-Golia, Ludvik
WILSON, R.F. See Martin, B.A.
WINTER, HEIKE. See Traitler, Helmut
WOOD, RANDALL. See Zoeller, Raphael A.
WU, GUEY-SHUANG, Robert A. Stein, James F. Mead and Ronald N. McElhaney, Autoxidation of *Acholeplasma laidlawii* membranes, 756
WU, W., F.A. Stephenson, J.T. Mason and C. Huang, A nuclear magnetic resonance spectroscopic investigation of the headgroup motions of lysophospholipids in Bilayers, 68

Y

YAMADA, N. See Mori, N.
YARYOUR, G. See Tournier, H.
YATES, ALLAN J., and Jean K. Warner, Behavior of sugar derivatives in procedures for ganglioside isolation, 562
YEH, Y.-Y. See Sheehan, P.M.
YONEKURA, RYOOJI. See Tanaka, Mitsuo
YOSHIDA, HIROMI, Molecular species and fatty acid distributions of triacylglycerols from germinating soybean cotyledons, 936
J.C. Alexander, Changes in the structure of soybean triacylglycerols due to heat, 589
YOSHIKAWA, SHUNICHI. See Izaki, Yaeko
YOUNG, S.L. See Whorton, A.R.

Z

ZHANG, HANFANG. See Morisaki, Nobuhiro
ZOELLER, RAPHAEL A., and Randall Wood, Analysis of the stearoyl-CoA desaturase system in the Morris hepatoma 7288C and 7288TC, 488
Randall Wood, Effects of cyclopropene fatty acids on the lipid composition of the Morris hepatoma 7288C, 529
ZUÑEDA, M.C., J.J. Guillenea, J.B. Dominguez, A. Prado and F.M. Goni, Lipid composition and protoplast-forming capacity of *Streptomyces antibioticus*, 223

Subjects

A

ABDOMEN, rat, effects of external irradiation on intestinal absorption, 405
^{14}C-ACETATE, incorporation into lipids, triglycerides, phospholipids, cholesterol, 828
ACETOACETATE, lipogenesis in neonatal rat lung, 103
ACETYL CoA, pathways of production for lipogenesis, neonatal rat lung, 103
ACETYL-CoA CARBOXYLASE, hepatic activity, chicken, effect of diet, 250
Acholeplasma laidlawii, autoxidation of membranes, 756
ACTIVATION, acyl CoA synthetase, rat, 987
ACYL-CoA, assay of CoASH by HPLC, 187
ACYL-CoA, LONG CHAIN, liver of fat-fed rat, effect on peroxisomal β-oxidation, 187
effects on hepatic microsomal enzymes in diabetic rat, 578
precipitation from rat liver, 187
ACYL CoA SYNTHETASE, rat, activation, 987
1-ACYLGLYCEROL 3-PHOSPHATE ACYLTRANSFERASE, rat liver, effect of streptozotocin, 738
1-ACYLGLYCEROL 3-PHOSPHORYLCHOLINE ACYLTRANSFERASE, rat liver, effect of streptozotocin, 738
ACYLTRANSFERASE, assay, human serum, 80
diacylglycerol, spinach leaves, subcellular localization, 117
lecithin-cholesterol, activity in Type II hyperlipoproteinemic patients, 80
lysolecithin, activity in Type II hyperlipoproteinemic patients, 80
rat liver microsomal, dietary regulation, 48
rat liver microsomes, 359
rat liver, partial synthesis of radiolabelled phosphatidylcholine, 258
ADIPOCYTES, rat, fatty acid synthesis, 851
ADIPOSE TISSUE, diabetic rat, lipase activity, 594
diabetic rat, phospholipid fatty acids, 367
lipase, pigeon hormone sensitive, inhibition by fatty acyl CoA, 134
pigeon, hormone sensitive lipase, inhibition by fatty acyl CoA, 134
rat, lactating, incorporation of halogenated fatty acids, 637
rat, squalene, 631
ADRENAL, diabetic rat, phospholipid fatty acids, 367
human, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
ALBUMIN, rat plasma, influence of chloroquine, 195
ALCOHOL INGESTION, effect on rat liver fatty acid

synthetase and stearoyl CoA desaturase, 151
ALCOHOLISM, prevention of fatty liver, 583
ALCOHOLS, fatty, effects of irradiation on absorption by rat intestine, 405
fatty, meibomian gland, steer and human, composition and double bond pattern, 264
polyisoprenoid, of seeds, 401
steroidal allylic, oxidation, 550
ALDEHYDE DIMETHYL ACETALS, GC-MS analysis, 790
ALGAE, fatty acid composition, 332
green, very long chain fatty acids, 472
rapid screening and isolation of oxygenated free fatty acids, 304
synthesis of labelled fatty acids, 332
ALKALINE PHOSPHATASE CYTOCHEMISTRY, rat liver, effect of chloroquine, 195
ALKANES, transport in rat, 423
ALLYLIC ALCOHOLS, oxidation, 550
AMINES, fluorescent reaction products, 600
AMINO ACIDS, dietary, effect on rat liver desaturase activities, 154
AMINO SUGARS, removal from ganglioside samples, 562
PARA-AMINOSALICYLIC ACID-ASCORBATE, treatment of human hyperlipemia, plasma and lipoprotein lipid responses, 73
AMINOTRANSFERASE, rat plasma, influence of chloroquine, 195
AMNIOTIC FLUID, human, platelet activating factor, detection of by GC-MS, 907
ANIMAL PROTEIN, dietary hamster, effect on gallstone formation, bile constituents, 5
ANTARCTIC KRILL, fatty acid profile of lipids, 821
ANTEISO FATTY ACIDS, biosynthesis in bacteria, 570
ANTIBODY, stimulation of fatty acid incorporation into phospholipids, mouse L cells, 239
ANTIOXIDANTS, dietary, effect on lipid peroxidation in iron-loaded rats, 127
effect on cell proliferation in cultured cells, 381
ANTITHROMBIN III, human plasma and plasma lipoproteins, 363
measurement in human plasma, 363
AORTIC ENDOTHELIAL CELLS, porcine, isolation and culture, 17
porcine, regulation of prostacyclin synthesis, role of calcium, 17
APES, serum, distribution of HDL, 656
APO C, content of apoproteins in liver and serum, effect of protein depletion, 902
APOLIPOPROTEIN, A-I, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
B, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
E, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
ARACHIDONATE, human milk, lack of correlation with linoleate, 469
hydrogenation during chemical ionization mass spectrometry, 466
1-[^{14}C], incorporation by rat testes, 609
[1-^{14}C], incorporation into phospholipids by polymorphonuclearleukocytes, 573
metabolism in guinea pig smooth muscle cells, 381
metabolism in rat testis, 341
ARACHIDONIC ACID, [^{14}C], incorporation into phospholipids in rabbit and human neutrophils, 315
incorporation into VLDL apoprotein, 902
ARGENTATION CHROMATOGRAPHY, column, resolution of fatty acid methyl esters, 264
L-ASCORBIC ACID, dietary, effect on lipid peroxidation in iron-loaded rats, 127
inhibits hemoglobin catalyzed peroxidation of linoleic acid, 96
ATRIA, rat, effect of dietary fat on phospholipid content and fatty acid profile, 206
AUTOXIDATION, of mycoplasma membranes, 756
Avicennia officinalis, fatty acid composition, 302
AVOCADO, fiber content and cholesterol binding capacity, 85

B

BACTERIA, branched chain fatty acid synthesis, 570
Streptomyces antibioticus, lipid composition and protoplast forming capacity, 223
BANANA, fiber content and cholesterol binding capacity, 85
BARLEY, dietary, laying hen, effect on lipid metabolism, 250
polyisoprenoid alcohols, 401
shoots, linoleate metabolism, 507
BEANS, polyisoprenoid alcohols, 401
BEEF, heart, isolation of plasmalogens, 353
BEESWAX, fatty acid composition, 302
BENZOPYRENE, transport in rat, 423
BILIARY CHOLESTEROL, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
rat, influence of chloroquine, 195
BILIARY IMMUNOGLOBULIN A, rat, influence of chloroquine, 195
BILIARY LIPIDS, rat, influence of acute injection of chloroquine, 195
BILAYER, phospholipid, thermodynamic characterization, 395
lysophospholipids, headgroup motion, nuclear magnetic resonance, 68
BILE, chick embryo, lipid composition, 64
hamster, composition, effect of dietary vegetable and animal protein, 5
prairie dog, effect of oxazolines, 515
rabbit gall bladder, lipid composition and fatty acid profile, 64
rat, influence of chloroquine on lipid and lysosomal enzyme content, 195
sheep gall bladder, lipid composition and fatty acid profile, 64
BILE ACID, oxazolines, effect on gallstone formation in prairie dog, 515
measurement in micelles by kinetic dialysis, 553
BILE CHOLESTEROL, hamster, effect of dietary protein, 5
BILE FLOW, rat, effect of chloroquine, 195
rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
BILE PHOSPHOLIPIDS, hamster, effect of dietary protein, 5
rat, influence of chloroquine, 195
BILE SALTS, rat, influence of chloroquine, 195
Biomphalaria tenagophila, sterols, 229
BLOOD, human umbilical cord, phospholipids, 337

rat, cholesterol and PUFA content, effect of diet, 664
BRADYKININ, effect on prostacyclin synthesis, aortic endothelial cells, 17
BRAIN, human, activity of glutathione peroxidase, 784
rat, effect of EFA deficiency on myelin proteins, 478
rat, gangliosides and neuraminidase activity, effect of nutritional status, 179
subcellular membranes, phospholipids, 942
BRASSICASTEROL, *Drosophila*, ability to use and to overcome toxicity of *trans*-dehydrocholesterol, 231
BROMINATED, fatty acids, chromatography, 704
vegetable oil, effect on fatty acid content in rat, 704
4-BROMOPHENACYLBROMIDE, inhibition of antibody induced fatty acid incorporation in phospholipid, fibroblasts, 239
BROMOSULPHOPHTHALEIN, binding by protein in liver cytosol, 481
BUTTER, dietary, rat, effect on lung surfactant and fatty acid composition, 38
BUTYLATED HYDROXYANISOLE, dietary, effect on lipid peroxidation in iron-loaded rats, 127
BUTYLATED HYDROXYTOLUENE, dietary, effect on lipid peroxidation in iron-loaded rats, 127
BUTYRYL-CoA, role in biosynthesis of branched chain fatty acids in bacteria, 470

C

Caenorhabditis elegans, see nematode
CALABAZA, fiber conent and cholesterol binding capacity, 85
CALCIUM, metabolism in rabbit and human neutrophils, 315
role in regulation of prostacyclin synthesis, aortic endothelial cells, 17
CALORIMETRY, differential scanning, dipalmitoylphosphatidylcholine, small unilaminar vesicles, 395
differential scanning, phosphatidylcholine vesicles, 474
CAMPESTEROL, inhibition of biosynthesis in higher plants, 449
CAMPHOR, inhibition of lecithin cholesterol acyltransferase, 371
CARAMBOLA, fiber content and cholesterol binding capacity, 85
CARDIAC CHOLESTEROL, content rat, effect of diet, 206
CARDIAC PHOSPHOLIPIDS, rat, effect of dietary fat on phospholipid content and fatty acid profile, 206
CARDIOLIPIN, content, rat liver microsomes and mitochondria, effect of thyroid status, 171
content in *Streptomyces antibioticus*, 223
rat cardiac, content and fatty acid profile, effects of diet, 206
CARNITINE, PALMITOYL, effect on pigeon hormone sensitive adipose tissue lipase, 134
CARROT, sterols, effects of inhibitors on biosynthesis, 449
CASEIN, DIETARY, effect on rat liver desaturase activities, 154
hamster, gallstone formation, bile constituents, 5
CASSAUA, fiber content and cholesterol binding capacity, 85
CELLS, culture, Chinese hamster ovary, 539
CELL CULTURE, Morris hepatoma 7288C, 448, 529
CELLULOSE, cholesterol binding capacity, 85
CENTRIFUGATION, density gradient, rat red cells, 443
Centrophorus spp., liver, fatty acid and squalene composition, 643
CEREBELLUM, rat, ganglioside and neuraminidase content, effect of nutritional status, 179
CEREBRAL CORTEX, rat, ganglioside and neuraminidase content, effect of nutritional status, 179
CHEMICAL IONIZATION, GC-MS, sterol esters, 888
CHENODEOXYCHOLIC ACID, rat biliary and fecal, effect of dietary fat and cholesterol, 109
CHENODEOXY-OXAZOLINE, effect on gallstone formation in prairie dog, 515
CHICK EMBRYO, gall bladder bile, lipid composition, 64
CHICKEN, influence of diet on, weight gain, liver weight, liver enzymes, egg weight, lipid metabolism, 250
CHICKEN LIVER, lipid metabolism, influence of *Trichoderma viride* filtrate and barley, 250
CHLOROPLAST, isolation, enzyme assay of fractionated chloroplast, 117
subcellular site for triacylglycerol synthesis in spinach leaves, 117
CHOLELITHIASIS, in prairie dog, 515
Chara, rapid screening and isolation of oxygenated free fatty acids, 304
Chlorella vulgaris, rapid screening and isolation of oxygenated free fatty acids, 304
CHOLEST-5-EN-3β-OL, content, fresh water snail, 229
CHOLESTA-5,7-DIEN-3β-OL, content, fresh water snail, 229
22-*trans*-CHOLESTA-5,22-DIEN-3β-OL, content, fresh water snail, 229
CHOLESTEROL, absorption and transport, rat, effect of peanut oil or randomized peanut oil, 11
absorption by rat intestine, effects of irradiation, 405
acyltransferase, inhibition by monoterpenes, 371
analysis by HPLC, 171
bile, hamster, effect of dietary protein, 5
biliary, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
biliary, rat, influence of chloroquine, 195
binding assay, assay for cholesterol binding to fiber in vitro, 85
binding capacity of fiber from tropical fruits and vegetables, 85
blood and liver, rat, effect of diet, 664
cardiac, content in rat, effect of diet, 206
content, bile, rabbit, sheep, chick embryo, 64
conversion to coprostanol, rat gut, effect of diet, 109
dietary, effect on lipoprotein level and composition, gerbil, 25
dietary, effect on PUFA and cholesterol levels in rat, 664
dietary, protected and unprotected, effect on plasma cholesterol, liver, of sheep, 159

diurnal variation in rat plasma, liver and lipoproteins, 202
Drosophila, ability to use and to overcome toxicity of *trans*-dehydrocholesterol, 231
effect on lipogenic enzymes, 828
gallstone formation in the prairie dog, 515
in intestinal mucosa of rat, control of content, 721
lymph, content in rat, effect of peanut oil or randomized peanut oil, 11
lipoprotein, content in gerbil, effect of dietary fat, cholesterol, 25
lipoprotein, hyperlipemic humans, response to four hypolipid drugs, 73
liver, plasma and bile of prairie dog, 515
liver, serum, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
marine fish roe, 492
metabolism, and squalene epoxidase, in Chinese hamster ovary cells, 539
metabolism in a free living nematode, 500
plasma, chicken, effect of diet, 250
rabbit, lipoprotein, 844
rat plasma, influence of chloroquine, 195
serum, hamster, effect of dietary protein, 5
serum, hyperlipemic humans, response to four hypolipid drugs, 73
serum, sheep, effect of protected and unprotected cholesterol, 159
total, content, rat liver microsomes and mitochondria, effect of thyroid status, 171
utilization by various species of *Drosophila*, 235
yolk, effect of diet, chicken, 250
CHOLESTEROL CONTENT, biomembranes, lipid content, 929
CHOLESTEROL 7α-HYDROXYLASE, hepatic activity, chicken, effect of diet, 250
CHOLESTEROL SYNTHESIS, hepatic, rat, diurnal variation, 202
rat liver slices, diurnal variation, 202
CHOLESTERYLESTER, content and composition, bile, rabbit, sheep, chick embryo, 64
rat testes, fatty acids, 609
CHOLESTERYLESTER HYDROLASE, rat liver, 692
rat liver, effect of hormones, 916
in rat liver cytosol, characterization of, 714
CHOLESTERYL SULFATE, effect on physical state of phosphatidylcholine vesicles, 474
CHOLESTYRAMINE, cholesterol binding capacity, 85
CHLOROQUINE, acute injection, rat, effect on biliary secretion of lipids and lysosomal enzymes, 195
CHOLINE PHOSPHOGLYCERIDES, fatty acid profile, normal and diseased human tissues, 60
CHOLINE PHOSPHOTRANSFERASE, embryological development, liver microsomes, 11
^{14}C-CHOLINE, incorporation into phospholipids in goat lung, effect of 3-methylindole, 709
CHROMAGENS, sterol, ultraviolet spectra, 625
CHROMATOGRAPHY, affinity, liver cytosol fatty acid binding protein, 481
CHROMATOGRAPHY, COLUMN, argentation, resolution of fatty acid methyl esters, 264
gangliosides, 562
heated soybean oil, 589
heparin-sepharose affinity, of trout lipase, 347
lipid classes of marine dinoflagellate, 457
lipoproteins of rat plasma, 423
methyl epoxyhydroperoxyoctadecadienoates, 375
nematode sterols, 500
separation of unsubstituted, α and ω-hydroxy fatty acid methyl esters, 264
silicic acid, separation of saponifiable from unsaponified lipid, 264
CHROMATOGRAPHY, GAS LIQUID, analysis of volatile product of methyl linoleate hydroperoxides, 307
brominated fatty acids, 704
cholesterol from prairie dogs, 515
fatty acid methyl ester derivatives of wax esters, 302
fatty acid profile of phospholipids, 768
fatty acid profile of rat tissues, 728
[^{14}C] fatty acids, 332
[^{14}C]-labelled fatty acids, 332
glucosylceramide, in human plasma, 363
lipids of krill, 821
lipids of oyster larvae, 815
measurement of pentane in expired air, rat, 127
oxidation products of labelled fatty acids in barley shoots, 507
oyster sterols, 625
phospholipids, 857
squalene in rat tissue, 631
sterols from fresh water snail, 229
sterols of higher plants, 449
sterols of *Phytophthora cactorum*, 544
total lipids, 683
wall coated open tubular, fatty acid methyl esters, 214
CHROMATOGRAPHY, GAS LIQUID, CAPILLARY, FAME and ozonolysis products, 264
fatty acids and aldehydes of beef heart plasmalogens, 353
fatty acids of algae, 332
fatty acids of marine fish roe, 492
fatty acids of Morris hepatoma 7288C cells, 529
fatty acids of rat testis, 341
fatty acids, trout, 522
free and esterified of marine dinoflagellate, 457
MS, nematode sterols, 500
MS, sterols of marine dinoflagellate, 457
MS, unsaturated fatty acids, 466
MS, of very long chain algal fatty acids, 472
products of heat induced volatiles of (9Z,11E)-13-hydroperoxy-9,11-octadecadienoate, 294
squalene in rat tissue, 631
CHROMATOGRAPHY, GAS LIQUID, FATTY ACIDS, 869, 982
of erythrocytes, 699
of human milk, 469
of human milk fat, 673
of human platelet phospholipids, 617
of human umbilical cord phospholipids, 337
of phospholipids in crustacean membranes, 436
of rat erythrocyte phospholipids, 443
of rat testes, 609
of triglyceride fractions of heated soybean oil, 589
CHROMATOGRAPHY, GAS LIQUID, FAME, 142, 637, 756
of mollusc tissues, 649
of rat liver and blood, 664

of shark oil, 643
CHROMATOGRAPHY, GAS LIQUID, MS, bacterial fatty acids, 570
brominated fatty acid methyl esters, 704
chemical ionization, 888
diols, 990
electron impact, 888
lipid content of seeds, 923
of products of BF_3-ether treated methyl linoleate hydroperoxides, 294
quantitation of prostacyclin, 17
steroids in prairie dog bile, 515
sterols of *Phytophthora cactorum*, 544
thermal decomposition products of epoxyhydroperoxyoctadecadienoates, 375
CHROMATOGRAPHY, GAS LIQUID, PREPARATIVE, fatty acid methyl esters, 264
CHROMATOGRAPHY, GEL FILTRATION, liver cytosolic proteins, 481
lysosomal enzymes, 714
Sephadex G-200, purification and molecular weight, glycerol kinase, 289
CHROMATOGRAPHY, HIGH PERFORMANCE LIQUID, argentation, plasmalogens of beef heart, 353
fatty acid methyl esters, 756, 768
fatty acids of green algae, 472
fatty acids of rat testis, 341
fluorescent lipid reaction products, 600
hydroperoxy fatty acids and prostanoids, 381
methyl epoxyhydroxyperoxyoctadecadienoates, 375
polyisoprenoid alcohols of seeds, 401
purification of fatty acid methyl esters, 801
squalene in rat tissue, 631
triglycerides, 880
triglyceride species analysis, flame ionization detection, 142
CHROMATOGRAPHY, HIGH PRESSURE LIQUID, analysis of mitochondrial and microsomal lipids, 171
analysis of triglyceride species, olive oil, 300
assay of CoASH, 187
isolation of individual positional isomers of methyl linoleate hydro peroxides, 307
phenylacyl esters of fatty acids, preparative, 285
purification of linoleate hydroperoxides, 294
screening and preparative, oxygenated fatty acids, 304
CHROMATOGRAPHY, ION-EXCHANGE, cholesteryl ester hydrolase, 692
CHROMATOGRAPHY, PAPER, products of glycerol kinase reaction, 289
CHROMATOGRAPHY, REVERSED PHASE, HPLC analysis of triglyceride species, 142
CHROMATOGRAPHY, THIN LAYER, bile acids, 749
esterified cholesterol and triglycerides in rat, 777
fatty acids, 863, 869, 982
fatty acid, human milk fat, 673
fatty acid methyl esters, 756
fatty acids of mollusc tissues, 649
ganglioside species from rat brain, 179
heated and unheated soybean oil, 589
human platelet phospholipids, 617
isolation of free fatty acid from tissue culture media, 239
isolation phospholipid classes, rat lung, 38
lipids of Chinese hamster ovary cells, 539
lipids of krill, 821
lipids of marine fish roe, 492
lipid classes of Morris hepatoma 7288C cells, 529
lipid classes of rat testes, 609
lipid content of seeds, 923
lipids of oyster larvae, 815
oyster sterols, 625
phospholipids and fatty acids, 768
phospholipids of human umbilical cord blood, 337
phospholipid from mouse L cells, 239
polyisoprenoid alcohols of seeds, 401
prostaglandins, 699
rat cardia muscle lipids, 206
sodium taurocholate, 11
sterols of *Phytophthora cactorum*, 544
triacylglycerols, 683
trout lipids, 522
CHROMATOGRAPHY, THIN LAYER, ARGENTATION, nematode sterols, 500
triglycerides of heated soybean oil, 589
CHYLOMICRONS, rat, preparation of labelled, 423
rat, transport of hydrocarbons, 423
CITRATE CLEAVAGE ENZYME, hepatic activity, chicken, effect of diet, 250
CLOFIBRATE, administration, rat, effect on liver long-chain acyl-CoA, 187
treatment of human hyperlipemia, plasma and lipoprotein lipid responses, 73
COCOA BUTTER, triacylglycerol, olefinic carbons, nuclear magnetic resonance spectra of, 56
triglyceride content, HPLC, 880
COCONUT, fiber content and cholesterol binding capacity, 85
COCONUT OIL, dietary, effect on activity of rat liver acyltransferase, desaturase, 48
dietary, effect on PUFA and cholesterol levels in rat, 664
hydrogenated, dietary, rat, effect on lung surfactant and fatty acid composition, 38
COD, ROE, fatty acids and phospholipids, 492
COD LIVER OIL, effect on platelets in humans, 617
COENZYME A, FATTY ACYL, long chain, inhibition of pigeon adipose tissue lipase, 134
COLCHICINE, effect upon liver protein and lipids in the rat, 777
COLESTIPOL, treatment of human hyperlipemia, plasma and lipoprotein lipid responses, 73
COLON, RAT, effects of irradiation on absorption, 405
CONGENITAL METHEMOGLOBINEMIA, fatty acid profile, tissue phosphoglycerides, 60
CONJUGATED FATTY ACIDS, methyl esters of octadecatrienoic acids, ^{13}C chemical shifts, 44
COPPER, catalyzed lipid peroxidation of erythrocyte membrane, role of singlet oxygen, 278
COPROSTANOL, production in rat gut, effect of diet, 109
CORN, dietary, laying hen, effect on lipid metabolism, 250
polyisoprenoid alcohols, 401
CORN OIL, dietary, effect on activity of rat liver acyltransferase, desaturase, 48
dietary, rat, effect on hepatic microsomal desaturase

and fatty acid synthesis, 214
dietary, rat, effect on lung surfactant and fatty acid composition, 38
partially hydrogenated, dietary, effect on steroid metabolism in rat, 109
CORN OIL TRIACYLGLYCEROL, olefinic carbons, nuclear magnetic resonance spectra of, 56
CORTEX, human, ganglioside extraction and isolation, 562
COTTONSEED, dietary, hamster, gallstone formation, bile constituents, 5
COTYLEDONS, scybean, fatty acid profile, 936
Crassostrea gigas, see oyster
Crassostrea virginica, lipid content, 815
See oyster
CRITICAL MICELLE CONCENTRATION, fatty acids, pure and mixed under lipoxygenase assay conditions, 163
CRUSTACEA, lipid metabolism and temperature adaptation, 436
phospholipid fatty acid composition, 436
CYCLIC, HYDROPEROXY, of methyl linoleate, thermal decomposition of individual positional isomers, 307
CYCLOOXYGENASE, inhibitors, effect on prostanoid synthesis in guinea pig smooth muscle cells, 381
CYCLOPROPENE, FATTY ACIDS, effect on lipid composition of Morris hepatoma 7288C cells, 529
Cynomys ludovicianus, see prairie dog
CYTOCHROME b_5 REDUCTASE, DEFICIENCY, fatty acid profile, tissue phosphoglycerides, 60
CYTOSOL, liver, species difference in fatty acid binding protein, 481

D

DATE, fiber content and cholesterol binding capacity, 85
2,4,7-DECATRIENAL, thermal decomposition product of methylinoleate hydroperoxide, 307
DEHYDROCHOLESTEROL, function in *Phytophthora cactorum,* 544
22-DEHYDROCHOLESTEROL, *cis-* and *trans-*, response of *Drosophila,* ability of sterols to overcome toxicity of *trans* isomer, 231
trans-22-DEHYDRODESMOSTEROL, *Drosophila,* ability to use and to overcome toxicity of *trans*-dehydrocholesterol, 231
7-DEHYDROSTIGMASTEROL, *Drosophila,* ability to use and to overcome toxicity of *trans*-dehydrocholesterol, 231
DEOXYCHOLATE, determination in micelles, 553
DEOXYCHOLIC ACID, rat biliary and fecal, effect of dietary fat and cholesterol, 109
DERMATOPHYTES, partial purification of glycerol kinase, characterization, 289
DESATURASE, fatty acid, specificity in *Tetrahymena,* 285
rat liver microsomal, dietary regulation, 48
rat liver microsomes, effect of dietary fat, 214
rat liver, activities, effect of dietary amino acids, 154
stearoyl-CoA, rat, effect of alcohol ingestion, 151
Δ-12 DESATURASE, in *Tetrahymena,* 285
DESATURASE ASSAY, rat liver microsomes, 204
DESATURATION, fatty acyl Δ5, effect of *trans* fatty acids, 869
DESMOSTEROL, *Drosophila,* ability to use and to overcome toxicity of *trans*-dehydrocholesterol, 231
metabolism in a free living nematode, 500
DETECTOR, FLAME IONIZATION, HPLC analysis of triglyceride species, 142
DEXAMETHASONE, inhibition of antibody induced fatty acid incorporation in phospholipid, fibroblasts, 239
DIABETES, effect on plasma free fatty acids, rat, 875
effect on tissue lipase activities in rat, 594
streptozotocin-induced, effects on long chain fatty acid metabolism in rat liver, 578
DIACYLGLYCEROL, content in *Streptomyces antibioticus,* effect of glycine, 223
milk fat, human, 673
DIACYLGLYCEROL ACYLTRANSFERASE, spinach leaves, subcellular localization, 117
DIALYSIS, ganglioside purification, 562
kinetic, of bile acids in micelles, 553
DIAPHRAGM, diabetic rat, lipase activity, 594
DIENE, conjugation, spectral analysis, 863
DIET, antioxidant supplemented, effect on lipid peroxidation in iron-loaded rats, 127
effect upon fatty acid composition of liver, 836
effect upon fatty acid composition of adipose tissue, 836
effect on lipid, oyster larvae, 815
high-fat, rat, liver long chain in acyl-CoA level, effect on peroxisomal β-oxidation, 187
rabbit, effect on lipids and lipoproteins, 844
DIETARY, *trans*-OCTADECENOATE, effect on steroid metabolism in rat, 109
DIETARY AMINO ACIDS, effect on rat liver desaturase activities, 154
DIETARY CHOLESTEROL, effect on PUFA and cholesterol levels in rat, 664
DIETARY LIPID, effect on lipoprotein level and composition, gerbil, 25
DIETARY OIL, effect on PUFA and cholesterol levels in rat, 664
DIETARY OLIVE OIL, effect on steroid metabolism in rat, 109
DIETARY PARTIALLY HYDROGENATED CORN OIL, effect on steroid metabolism in rat, 109
DIETARY RESTRICTION, maternal rats, effect on fatty acid activation in developing rat heart, 122
DIGLYCERIDE ACYLTRANSFERASE, activity, comparative study, 828
DIHOMO-γ-LINOLENIC ACID, reversal of hypertension in rat, 699
DIHYDROBRASSICASTEROL, *Drosophila,* ability to use and to overcome toxicity of *trans*-dehydrocholesterol, 231
DIHYDROPEROXIDES, of methyl linoleate, thermal decomposition of individual positional isomers, 307
DIHYDROXYACETONE, effect on alcohol-induced fatty liver in rat, 583
DIMETHYL ACETALS, from monohydroperoxides, analysis by GC-MS, 790
DINOFLAGELLATE, marine, free and esterified sterols, 457
DINOSTEROL, free and esterified, marine dinoflagel-

late, 457
α,ω-DIOLS, human and steer, meibomian gland, 990
DIPALMITOYLPHOSPHATIDYLCHOLINE, small unilaminar vesicles, 395
N,N'-DIPHENYL-*p*-PHENYLENEDIAMINE, dietary, effect on lipid peroxidation in iron-loaded rats, 127
DIPHOSPHATIDYLGLYCEROL, Morris hepatoma 7288C cells, 529
rat cardiac, content and fatty acid profile, effects of diet, 206
Diplodon delodontus, fatty acid composition of tissues, effect of seasons, 649
DITHIOTHREITOL, inhibits hemoglobin catalyzed peroxidation of linoleic acid, 96
DIURNAL VARIATION, plasma methyl sterols and cholesterol of rat, 202
DOLICHOLS, mono- and dicotyledonous seeds, 401
DOUBLE BONDS, location of, fatty acids, 971
Drosophila, cactophilic species, uptake and lack of dealkylation of phytosterols, 235
response to dehydrocholesterol, ability of sterols to overcome toxicity of *trans* isomer, 231

E

E. microcarpa, rapid screening and isolation of oxygenated free fatty acids, 304
EC 3.1.1.2, see lipase, triacylglycerol
EGG, shark, fatty acid and squalene content, 643
EGG LIPIDS, chicken, effect of diet, 250
EGGS, marine fish, lipids and fatty acids, 492
EICOSAPENTAENOATE, human platelet, 617
1-[^{14}C] EICOSAPENTAENOATE, incorporation by rat testes, 609
incorporation into phospholipids by polymorphonuclear leukocytes, 573
ELECTRON IMPACT, GC-MS, sterol esters, 888
ELECTRON MICROSCOPY, barley shoots, 507
ELECTROPHORESIS, agarose gel, trout lipoproteins, 522
assay of 3-hydroxy-3-methylglutaryl coenzyme A reductase, 966
bovine high density lipoproteins, 624
disc gel, liver cytostolic proteins, 481
disc gel, rat brain myelin proteins, 478
polyacrylamide-gel disc, serum lipoprotein, 777
purification of trout triacylclycerol lipase, 347
EMBRYO, CHICK, gall bladder bile, lipid composition, 64
ENDOTHELIAL CELLS, AORTIC, porcine, isolation and culture, 17
regulation of prostacyclin synthesis, role of calcium, 17
ENZYMES, assays, interference of long chain fatty acid CoA, 578
lysosomal, in rat bile, effect of chloroquine, 195
secretion in rabbit and human neutrophils, 315
Epidermophyton floccosum, partial purification of glycerol kinase, characterization, 289
EPIDIDYMAL ADIPOSE, guinea pig, lipoprotein lipase, 978
4,5-EPOXYHEPT-2-ENAL, thermal decomposition product of methylinoleate hydroperoxide, 307
EPOXYHYDROPEROXYOCTADECENOATES, volatiles from thermal decomposition, 375
ERGOSTEROL, *Drosophila*, ability to use and to overcome toxicity of *trans*-dehydrocholestrol, 231
ERYTHROCYTE, fatty acid profile, rat, 699
membranes, phospholipids, 942
rat, changes in lipids with age, 443
rat, density gradient separation, 443
rat, fatty acid composition and metabolism of phospholipids, 443
ERYTHROCYTE MEMBRANE, copper catalyzed lipid peroxidation, role of singlet oxygen, 278
ESSENTIAL FATTY ACID DEFICIFNCY, effect on rat brain myelin proteins, 478
effect on rat lung surfactant and fatty acid composition, 38
ESTROGEN, SYNTHETIC, effect upon lipid metabolism in rat, 777
ETHANOL, and fatty liver in rat, 583
dietary, effects on rat liver triglycerides, 419
effect on biomembranes, 529
ETHANOLAMINE PHOSPHOGLYCERIDES, fatty acid profile, normal and diseased human tissues, 60
ETHOXYQUIN, DIETARY, effect on lipid peroxidation in iron-loaded rats, 127
24-ETHYLCHOLEST-5-EN-3β-OL, content, fresh water snail, 229
22 *trans*-24-ETHYLCHOLESTA-5,22-DIEN-3β-OL, content, fresh water snail, 229
ETHYLENEDIAMINE TETRAACETIC ACID, inhibition of antibody induced fatty acid incorporation in phospholipid, fibroblasts, 239
Euphausia superba dana, fatty acid profile of lipids, 821

F

FAT, dietary, rat, effect on desaturase and fatty acid synthesis, liver microsomes, 214
oxidized frying, effects of ingestion by rat, 324
FATS, autoxidized, GC-MS, 790
FATTY ACID, critical micelle concentrations under lipoxygenase assay conditions, 163
composition in shark liver, 643
contaminant of commercial lipases, 302
incorporation into mouse L cell phospholipids, stimulation by antibody, 239
methoxyphenyl bromide esters, analysis by HPLC, 171
precursors in neonatal rat lung, 103
synthesis, rat adipocytes, 851
trans-FATTY ACID, dietary, rat, effect on hepatic microsomal desaturase and fatty acid synthesis, 214
FATTY ACID BIOSYNTHESIS, rat liver microsomes, effect of dietary fat, 214
FATTY ACID DESATURASE, specificity in *Tetrahymena*, 285
FATTY ACID PROFILE, algae, 332
bees wax and *Avicennia officinalis*, 302
blood and liver, rat, effect of diet, 664
commercial rat chow, 206
developing larvae, oyster, 815
erythrocytes, rat, 699
glycerophospholipids of *Tetrahymena*, 285
human milk, 469
human milk fat, 673

lipid classes in rat testes, 609
liver oil, shark, 643
liver phospholipids of rat receiving dietary ethanol, 419
liver of rat receiving dietary ethanol, 419
liver triglycerides of rat receiving dietary ethanol, 419
lung surfactant, phospholipids, 857
marine fish roe, total, neutral lipids and phospholipids, 492
millet seeds, 958
mollusc, seasonal changes in tissues, 649
Morris hepatoma 7288C cells, total, neutral and phospholipid fractions, 529
neutral and phospholipids from *Streptomyces antibioticus*, 223
phospholipids, lung surfactants, 857
phospholipids of crustacea, 436
phospholipids of human umbilical cord blood, 337
phospholipids of platelets in humans receiving cod liver oil, 617
phospholipids of rat erythrocytes, 443
rapeseed oil, effects of frying, 324
rat cardiac muscle phospholipid classes, effect of diet, 206
rat liver microsome and mitochondria phospholipids, effect of thyroid status, 171
rat liver microsomes, total and phospholipid, effect of diet, 214
rat lung, phospholipids and lung lavage, effect of diet, 38
of rat testis, 341
rat tissue, effect of total parenteral nutrition on lipid content, 278
sediment and plankton, 649
sheep kidney fat, 206
sunflower seed oil, 206
tissue phospholipids of diabetic rat, 367
total lipids of krill, 821
trout serum, 522
triacylglycerols, lipoprotein, human, 683
triacylglycerols, soybean cotyledons, 936
FATTY ACID SYNTHETASE, activity, comparative study, 828
hepatic activity, chicken, effect of diet, 250
hepatic, rat, effect of alcohol ingestion, 151
FATTY ACIDS, absorption by rat intestine, effects of irradiation, 405
branched chain, biosynthesis in bacteria, 570
conjugated, methyl esters of octadecatrienoic acids, ^{13}C chemical shifts, 44
content of rat tissues, effect of diet, GC-MS, 704
cyclopropene, effects on lipids of Morris hepatoma 7288C cells, 529
cyclopropene, preparation and analysis, from *Sterculia foetida*, 529
distribution in glycerides of heated soybean oil, 589
effect on malondialdehyde excretion, rat, 836
halogenated, incorporation into neonatal rat liver and stomach curd, 637
incorporation into phospholipids in rat liver microsomes, 359
incorporation into phospholipids of human and guinea pig leukocytes, 573
labelled, incorporation by growing oysters, 332
labelled, metabolism in barley shoots, 507
[^{14}C]-labelling in algae, 332
[1-^{14}C]-labelling in barley shoots, 507
location of double bonds, 971
long-chain in rat testis, 341
long chain, metabolism in liver of diabetic rat, 578
long chain polyunsaturated, synthesis in growing oysters, 332
meibomian gland, steer and human, composition and double bond pattern, 264
metabolism in guinea pig smooth muscle cells, 381
metabolism in Morris hepatoma 7288C and 7288-CTC, 488
metabolism in neutrophils, 315
metabolism in rat testis, 341
methyl esters, purification by HPLC, 801
monoenoic, inhibition of lipoxygenase, 34
oxygenated, rapid screening and isolation from water and plants, 304
peroxidation in liposomes, 863
polyunsaturated, activation in rat, 987
polyunsaturated, metabolism in rat testes, 609
position in triacylglycerols and phosphatidylcholines, 982
(n-3) PUFA, and egg formation in trout, 522
rat testes, effects of hypophysectomy and testosterone, 609
unsaturated, hydrogenation during CI mass spectrometry, 466
unsaturated, oxidative stability and triglyceride structure, 589
unsaturated, proposed scheme of synthesis in *Tetrahymena*, 285
very long chain, in green alga, 472
n-[2H7] FATTY ACIDS, biosynthesis in bacteria from [U-2H15] octanoic acid, 570
FATTY ACIDS, ESSENTIAL, plasma of guinea pig, 806
plasma of human, 806
plasma of mouse, 806
plasma of rat, 806
FATTY ACYL CoA, long chain, inhibition of pigeon adipose tissue lipase, 134
FATTY ACYL CoA SYNTHETASE, assay, rat heart homogenates, 122
depressed activity in developing rat heart, due to maternal undernutrition, 122
FATTY ACID Δ5 DESATURATION, effect of fatty acids, 869
FATTY ALCOHOLS, meibomian gland, steer and human, composition and double bond pattern, 264
FIBER, extraction from fruits and vegetables, 85
from tropical fruits and vegetables, cholesterol binding capacity, 85
FIBROBLAST, skin, human, 869
incorporation of fatty acids into phospholipids, stimulation by antibody, 239
FISH, marine, lipids and fatty acids in ripe roe, 492
FLAME IONIZATION DETECTION, HPLC, triglycerides, 880
HPLC analysis of triglyceride species, 142
FLUORESCENCE, of dihydropyridinedicarbaldehydes, 600
FLUORESCENCE ANISOTROPY, phosphatidylcholine vesicles, 474

FLUORESCENCE POLARIZATION, measurement in liver microsomal vesicles, effect of diet, 214
FLUORESCENT COMPOUNDS, in rat uterus, effect of Vitamin E, 911
FREE FATTY ACIDS, intestinal metabolism, rat, 875
FRESH WATER SNAIL, sterols, 229
FRUITS, TROPICAL, fiber, cholesterol binding capacity, 85
FUNGUS, see *Phytophthora cactorum*

G

GALACTOSYL TRANSFERASE, subcellular localization, spinach leaf, 117
GALL BLADDER, chick, bile, lipid composition, 64
guinea pig, effect of neurotensin on bile acids, 749
GALLSTONE, formation in prairie dogs, 515
hamster, formation, effect of dietary vegetable and animal protein, 5
GANGLIOSIDE SPECIES, rat brain, separation by TLC, 179
GANGLIOSIDES, and neuraminidase activity, rat brain and spinal cord, effect of nutritional status, 179
sample purification and preparation, 562
GERBIL, MONGOLIAN, lipoprotein level and composition, effect of dietary fat, 25
GLUCOSAMINE, removal from ganglioside samples by dialysis, 562
GLUCOSE, blood, in diabetic rat, 578
effect on alcohol-induced fatty liver in rat, 583
effect on plasma free fatty acids, rat, 875
lipogenesis from in neonatal rat lung, 103
GLUCOSE-6-PHOSPHATE DEHYDROGENASE, activity, comparative study, 828
GLUCOSYLCERAMIDE, human plasma and plasma lipoproteins, 363
measurement in human plasma, 363
β-GLUCURONIDASE, in rat bile, effect of chloroquine, 195
GLUTATHIONE, inhibits hemoglobin catalyzed peroxidation of linoleic acid, 96
GLUTATHIONE PEROXIDASE, activity in human brain, 784
in liver of rats fed oxidized fat, 324
GLUTATHIONE REDUCTASE, in liver of rats fed oxidized fat, 324
GLYCERIDE, marine fish roe, 492
precursors in neonatal rat lung, 103
GLYCEROL, prevention of alcohol-induced fatty liver in rat, 583
GLYCEROL KINASE, dermatophytes, partial purification and characterization, 289
in dermatophytes, subcellular localization, 289
GLYCEROL 3-PHOSPHATE, detection in glycerol kinase assay mixture, separation by paper chromatography, 289
GLYCEROL 3-PHOSPHATE ACYLTRANSFERASE, rat liver, effect of streptozotocin, 738
α-GLYCEROPHOSPHATE ACYLTRANSFERASE, activity, comparative study, 828
GLYCINE, effect on mass, lipid composition and protoplast formation by *Streptomyces antibioticus*, 223
GLYCOLIPIDS, fatty acid incorporation in barley shoots, 507
millet seeds, 958
GOAT, lung, ^{14}C-choline incorporation into phospholipids, effect of 3-methylindole, 709
Gonyaulax polygramma, see dinoflagellate
GRAPEFRUIT, fiber content and cholesterol binding capacity, 85
GRASS, TURTLE AND WIDGEON, rapid screening and isolation of oxygenated free fatty acids, 304
GUARGUM, cholesterol binding capacity, 85
GUAVA, fiber content and cholesterol binding capacity, 85
GUINEA PIG, cholesterol content of tissues, effect of neurotensin, 749
heart and epididymis, lipoprotein lipase, 978
leukocyte phospholipids, incorporation of arachidonate and eicosapentaenoate, 573
liver cytosol fatty acid binding protein, 481
plasma cholesterol, bile acids, effect of neurotensin, 749
tissue culture of smooth muscle cells, 381

H

HADDOCK, roe, fatty acids and phospholipids, 492
HAMSTER, bile, composition, effect of dietary vegetable and animal protein, 5
Chinese, cholesterol metabolism and squalene epoxidase in ovary cells, 539
gallstone, formation, effect of dietary vegetable and animal protein, 5
HEADGROUP MOTION, in lysophospholipid bilayers, nuclear magnetic resonance, 68
HEART, beef, isolation of plasmalogens, 353
diabetic rat, lipase activity, 594
diabetic rat, phospholipid fatty acids, 367
guinea pig, lipoprotein lipase, 978
rat, effect of dietary fat on phospholipid content and fatty acid profile, 206
rat, maternal dietary restriction inhibits fatty acid activation, 122
subcellular membranes, phospholipids, 942
HEMOGLOBIN, rat, catalyzes oxidation of iodothyronnes and peroxidation of linoleic acid, 96
HEN, LAYING, lipid metabolism, influence of *Trichoderma viride* filtrate and barley, 250
HEPARIN-SEPHAROSE, affinity column, preparation, 347
HEPATIC CHOLESTEROL SYNTHESIS, rat, diurnal variation, 202
HEPATIC FATTY ACID SYNTHETASE, rat, effect of alcohol ingestion, 151
HEPATOMA, cells, Morris 7288C, effect of cyclopropene fatty acids on lipid composition, 529
Morris 7288C and 7288CTC stearoyl desaturase systems, 488
2,4-HEPTADIENAL, thermal decomposition product of methylinoleate hydroperoxide, 307
HERRING, roe, fatty acids and phospholipids, 492
HEXANOL, thermal decomposition product of methylinoleate hydroperoxide, 307
cis-3-HEXENAL, thermal decomposition product of methylinoleate hydroperoxide, 307
HIGH DENSITY LIPOPROTEINS, distribution in primate serum, 656

Hordeum vulgare, see barley
HORMONE SENSITIVE LIPASE, fatty acyl CoA inhibition, pigeon adipose tissue, 134
HORSE, milk fat, fatty acid profile, 673
HORSERADISH PEROXIDASE, effect on fatty acids, 863
HUMAN, adrenals, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
amniotic fluid, platelet activating factor, detection of by GC-MS, 907
brain, activity of glutathione peroxidase, 784
cortex, ganglioside extraction and isolation, 562
kidney, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
lecithin cholesterol acyltransferase, inhibition by monoterpenes, 371
leukocyte phospholipids, incorporation of arachidonate and eicosapentaenoate, 573
liver, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
meibomian gland, diol content, 990
meibomian gland, fatty acids and alcohols, double bond patterns, 264
milk, fatty acid composition, 469
milk fat, fatty acid profile, 673
muscle, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
neutrophils, effects of phorbol dibutyrate, 315
phospholipids in umbilical cord blood, 337
plasma, antithrombin III and glucosylceramide, 363
plasma, VLDL, triacylglycerol, 683
platelets, effects of cod liver oil supplementation, 617
serum, distribution of HDL, 656
skin fibroblasts, 869
spleen, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
HYDROCARBON, contaminant of commercial lipases, 302
transport in rat chylomicrons and lipoproteins, 423
HYDROGEN PEROXIDE, effect upon peroxidase, 863
HYDROGENATED OIL, dietary, rat, effect on food consumption, weight gain, liver acyl-CoA and β-oxidation, 187
HYDROGENATION, RUMINAL, sheep, protection of cholesterol, effect on plasma cholesterol and liver, 159
HYDROPEROXIDES, autoxidation products in mycoplasma membranes, 756
linoleate, preparation and heterolytic cleavage by Lewis acid, 294
production by photooxidation of erythrocyte membrane, 278
reduction of in human brain by glutathione peroxidase, 784
volatile thermal decomposition products, 375
methyl linoleate, isolation of individual positional isomers by HPLC, 307
methyl linoleate, thermal decomposition of individual positional isomers, 307
HYDROPEROXY BICYCLOENCLOPEROXIDES, GC-MS analysis, 790
HYDROPEROXYOCTADECADIENOIC ACID, catalytic decomposition, 375
preparation, 375
α and ω HYDROXY FATTY ACIDS, of human and steer meibomian gland, 164
3-HYDROXY-3-METHYLGLUTARYL COENZYME A, yeast, radiometric assay, 966
3-HYDROXY-3-METHYLGLUTARYL-CoA REDUCTASE, influence of diet on, weight gain, liver weight, liver enzymes, egg weight, lipid metabolism, 250
β-HYDROXYBUTYRATE, lipogenesis from in neonatal rat lung, 103
HYPERCHOLESTEROLEMIA, human, lecithin-cholesterol and lysolecithin acyltransferase activity, 80
human plasma and lipoprotein lipid responses to four hypolipid drugs, 73
HYPERLIPIDEMIA, human, milk fat, fatty acid profile, 673
human plasma and lipoprotein lipid responses to four hypolipid drugs, 73
HYPERLIPOPROTEINEMIA, human, VLDL, triacylglycerol, 683
HYPERLIPOPROTEINEMIA TYPE II, lecithin-cholesterol and lysolecithin acyltransferase activity, 80
response of plasma and lipoprotein lipid to four hypolipid drugs, 73
HYPERLIPOPROTEINEMIA, TYPE III, response of plasma and lipoprotein lipid to four hypolipid drugs, 73
HYPERTENSION, rat, reversal by dihomo-γ-linolenic acid, 699
HYPERTHYROID RATS, lipid composition of liver mitochondria and microsomes, 171
HYPERTRIGLYCERIDEMIA, human plasma and lipoprotein lipid responses to four hypolipid drugs, 73
HYPOPHYSECTOMY, rat, effect on testicular lipids, 609
HYPOTHALMUS, rat, ganglioside and neuraminidase content, effect of nutritional status, 179

I

ILEUM, rat, effects of irradiation on absorption, 405
IMMUNOGLOBULIN A, biliary, rat, influence of chloroquine, 195
IODOTHYRONINE, hemoglobin catalyzed deiodination, 96
inhibits hemoglobin catalyzed peroxidation of linoleic acid, 96
IONOPHORE A23187, effect on prostacyclin synthesis, aortic endothelial cells, 17
INDOMETHACIN, inhibition of antibody induced fatty acid incorporation in phospholipid, fibroblasts, 239
INOSITIDES, phosphomanno, content in *Streptomyces antibioticus*, 223
INTESTINAL LYMPH, sheep, fatty acid profile of lipids, 982
INTESTINAL MUCOSA, rat, metabolism of free fatty acids, 875
INTESTINE, rat, effects of irradiation on absorption, 405
IRON DEXTRAN, intraperitoneal, effect on lipid peroxidation in rat, 127

IRRADIATION, effects on intestinal absorption in the rat, 405
ISOCHOLESTEROL, function in *Phytophthora cactorum*, 544
ISOELECTRIC FOCUSING, cholesterylester hydrolase, 692

J

JAPANESE QUAIL, biomembranes, effect of cholesterol and ethanol, 929
JEJUNUM, rat, effects of irradiation on absorption, 405

K

12-KETOLITHOCHOLIC ACID, rat biliary and fecal, effect of dietary fat and cholesterol, 109
KETONES, α,β-unsaturated, synthesis from allylic alcohols, 550
KIDNEY, diabetic rat, phospholipid fatty acids, 367
human, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
rat, effects of ingesting oxidized frying fat, 324
rat, squalene, 631
subcellular membranes, phospholipids, 942
KINASE, GLYCEROL, dermatophytes, partial purification and characterization, 289
KINETIC DIALYSIS, of bile acids in micelles, 553
KINETICS, of lipoxygenase assay, effect of physical state of inhibitors, 163
KIWI, fiber content and cholesterol binding capacity, 85

L

LACTATE, effect on alcohol-induced fatty liver in rat, 583
LACTATION, rat, incorporation of halogenated fatty acids into adipose tissue and liver, 637
LACTIC ACID, formation, inhibited by 5-tetradecyloxy-2-furoic acid, 851
LARD, DIETARY, rat, effect on hepatic microsomal desaturase and fatty acid synthesis, 214
LARVAE, development, oyster, lipid content and composition, 815
LATHOSTEROL, *Drosophila*, ability to use and to overcome toxicity of *trans*-dehydrocholesterol, 231
LAVAGE, LUNG, rat, fatty acid composition, effect of diet, 38
LAYING HEN, lipid metabolism, influence of *Trichoderma viride* filtrate and barley, 250
LECITHIN-CHOLESTEROL ACYLTRANSFERASE, activity in Type II hyperlipoproteinemic patients, 80
assay, human serum, 80
human, inhibition by monoterpenes, 371
LEAVES, SPINACH, subcellular localization of triacylglycerol synthesis, 117
Licania rigida BENTH, oil complete assignment of carbon-13 NMR spectrum, 44
LIGNIN, cholesterol binding capacity, 85
LINOLEATE, human milk, lack of correlation with arachidonate, 469
hydrogenation during chemical ionization mass spectrometry, 466
LINOLEATE, 1-[^{14}C], incorporation by rat testes, 609
metabolism in barley shoots, 507
LINOLEATE HYDROPEROXIDES, preparation and heterolytic cleavage by Lewis acid, 294
LINOLEATE HYDROPEROXIDES, METHYL, thermal decomposition of individual positional isomers, 307
LINOLEIC ACID, incorporation into VLDL apoprotein, 902
α-LINOLENIC ACID, *Ribes*, seeds, 923
γ-LINOLENIC ACID, biosynthesis from Δ6,9-octadecadienoic acid in *Tetrahymena*, 285
LIPASE, adipose tissue, pigeon hormone sensitive, inhibition by fatty acyl CoA, 134
commercial, extraction and analysis of lipid contaminants, 302
hormone sensitive, fatty acyl CoA inhibition, pigeon adipose tissue, 134
hormone sensitive, pigeon, effect of oleic acid, oleoyl CoA, palmitoyl carnitine, 134
microbial, effect of solvents, 975
rat, diabetic and fasting, 594
triacylglycerol, in trout, purification, 347
pancreatic, commercial, extraction and analysis of lipid contaminants, 302
LIPID, content of krill, 821
LIPID COMPOSITION, of millet seeds, 958
LIPID PEROXIDATION, erythrocyte membrane, by singlet oxygen, copper catalyzed, 278
in iron-loaded rats, effect of dietary antioxidants, 127
LIPID METABOLISM, laying hen, influence of *Trichoderma viride* filtrate and barley, 250
LIPOGENESIS, neonatal rat lung, pathways of acetyl CoA production, 103
LIPOGENIC ENZYMES, liver, comparative study, 828
LIPOPROTEIN, bovine high density, electrophoresis, 624
CHN elemental analysis, 558
high density, hyperlipemic human, response to four hypolipid drugs, 73
high density, level and composition, gerbil, effect of dietary fat, 25
high density, rat, sterol content, diurnal variation, 202
high density, transport of hydrocarbons in rat, 423
human, composition, 683
human plasma, antithrombin III and glucosylceramide, 363
human umbilical cord blood, 337
level and composition, gerbil, effect of dietary fat, 25
low density, human, level correlates with serum lysolecithin acyltransferase activity, 80
low density, hyperlipemic human, response to four hypolipid drugs, 73
low density, level and composition, gerbil, effect of dietary fat, 25
low density, rat, sterol content, diurnal variation, 202
rabbit, cholesterol content, effect of diet, 844
rat, liver and serum, effect of synthetic estrogen, 777
secretion in rat, effect of protein depletion, 902
serum, high density, primates, 656

specific refractive indices for ultracentrifugation, 558
trout serum, and dietary (n-3) PUFA, 522
very low density, hyperlipemic human, response to four hypolipid drugs, 73
very low density, level and composition, gerbil, effect of dietary fat, 25
very low density, rat, sterol content, diurnal variation, 202
very low density, triacylglycerol turnover, estimation using labeled glycerol, 139
LIPOPROTEIN LIPASE, diabetic and fasting rat, 594
guinea pig, 978
LIPOXIDASE, assay of hemoglobin catalyzed peroxidation, 96
LIPOXYGENASE, assay and inhibition kinetics, effect of physical state, 163
inhibition by monoenoic fatty acids, 34
inhibitors, effect on prostanoid synthesis in guinea pig smooth muscle cells, 381
peanut, preparation, assay, kinetics, inhibition, 34
rapeseed, preparation, assay, kinetics, inhibition, 34
soybean, physical state of linoleate and inhibitors under assay conditions, 163
soybean, preparation of (9Z,11E)-13-hydroperoxy-9,11-octadecadienoic acid from linoleate, 294
tomato, preparation of (10E,12Z)-9-hydroperoxy-10,12-octadecadienoic acid from linoleate, 294
LITHOCHOLIC ACID, rat biliary and fecal, effect of dietary fat and cholesterol, 109
LIPOFUSCIN, fluorescent model compounds, 600
LIPOSOMES, peroxidation of fatty acids, 863
preparation, 863
LIVER, apoprotein syntheses, effect of protein depletion, 902
chicken, lipid metabolism, influence of *Trichoderma viride* filtrate and barley, 250
cytosol, species difference in fatty acid binding protein, 481
diabetic and fasting rat, lipases, 594
diabetic rat, metabolism of long chain fatty acids, 578
diabetic rat, phospholipid fatty acids, 367
fatty, prevention of alcohol-induced, in rat, 583
human, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
lipogenic enzymes, comparative study, 828
microsomes, chicken, assay of HMG CoA reductase and cholesterol 7 α-hydroxylase, 250
microsomes, rat, lipid composition in hyperthyroid rats, 171
prairie dog, effect of oxazolines, 515
rabbit, embryological development, effect on phosphatidylcholine biosynthesis, 1
rabbit, lipids and lipoprotein cholesterol, 844
rat, changes in morphology following administration of estrogen, 777
rat, cholesterol and PUFA content, effect of diet, 664
rat, cholesteryl ester hydrolase, 916
rat, content of methyl sterols and cholesterol, diurnal variation, 202
rat, cytosolic protein inhibiting lysosomal acid cholesteryl ester hydrolase, characterization, 714
rat, effect of dietary amino acids on desaturase activities, 154
rat, effects of ethanol diet on triglycerides, 419
rat, effects of ingesting oxidized frying fat, 324
rat, fatty acid synthetase and stearoyl CoA desaturase, effect of alcohol ingestion, 151
rat, incorporation of halogenated fatty acids, 637
rat, lipid metabolism, effect of synthetic estrogen, 777
rat, lysosomal cholesterylester hydrolase, 692
rat, microsomal acyltransferase, desaturase, dietary regulation, 48
rat, microsomal desaturase activity and fatty acid synthesis, effect of dietary fat, 214
rat, microsomal stearoyl desaturase, 488
rat, peroxisomal β-oxidation, effect of long chain acyl-CoA levels in fat fed rat, 187
rat, phosphoglyceride metabolism, effect of streptozotocin, 738
rat, squalene, 631
shark, fatty acid and squalene composition, 643
sheep, effect of protected and unprotected dietary cholesterol, 159
subcellular membranes, phospholipids, FA profile, effect of diet, 942
triacylglycerol, effect of protein depletion, 902
trout, isolation and assay of phospholipase A_2, 258
VLDL, triacylglycerol secretion, effect of protein depletion, 902
LIVER CHOLESTEROL, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
LIVER MICROSOMES, rabbit, methyltransferase, phosphotransferase, embryological development, 1
LIVER MITOCHONDRIA, rat, lipid composition in hyperthyroid rats, 171
LIVER TRIGLYCERIDE, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
LONG CHAIN ACYL-CoA, liver of fat fed rat, effect on peroxisomal β-oxidation, 187
LUNG, goat, ^{14}C-choline incorporation into phospholipids, effect of 3-methylindole, 709
lavage, rat, fatty acid composition, effect of diet, 38
rat neonatal, pathways of acetyl CoA production for lipogenesis, 103
rat, surfactant and fatty acid composition, effect of diet, 38
surfactant, phospholipids, 857
surfactant, rat, effect of dietary fat, 38
LYMPH, rat, transport of hydrocarbons, 423
rat, triglyceride, cholesterol, phospholipid content, effect of peanut oil, 11
LYSOLECITHIN ACYLTRANSFERASE, activity in Type II hyperlipoproteinemic patients, 80
assay, human serum, 80
LYSOPHOSPHATIDYLETHANOLAMINE, content in *Streptomyces antibioticus*, 223
LYSOPHOSPHOLIPASE, rat liver, effect of streptozotocin, 738
LYSOPHOSPHOLIPIDS, bilayers, headgroup motion, nuclear magnetic resonance, 68
LYSOSOMAL ENZYMES, in rat bile, effect of chloroquine, 195
LYSOSOME, rat liver, cholesterylester hydrolase, characterization of, 714
cholesterylester hydrolase, rat liver, 692

M

MALANGA, fiber content and cholesterol binding capacity, 85
MALIC ENZYME, activity, comparative study, 828
hepatic activity, chicken, effect of diet, 250
MALONALDEHYDE, fluorescent reaction products compared with lipofuscin, 600
TBA assay in tissue cultures, 381
MALONDIALDEHYDE, rat, indicator of peroxidation, 836
structure of adduct, ^{1}H-NMR, ^{13}C-NMR, 804
UV spectrum, 863
MANGO, fiber content and cholesterol binding capacity, 85
MARINE OIL, dietary, rat, effect on food consumption, weight gain, liver acyl-CoA and β-oxidation, 187
MATERNAL FOOD RESTRICTION, inhibits fatty acid activation, developing rat heart, 122
MEIBOMIAN GLAND, human, fatty acids and alcohols, double bond patterns, 264
human and steer, diol content, 990
steer, fatty acids and alcohols, double bond patterns, 264
MEMBRANE, crustacea, lipid composition and cold adaptation, 436
erythrocyte, copper catalyzed lipid peroxidation, role of singlet oxygen, 278
function of cholesteryl sulfate, 474
rat erythrocytes, lipid composition and age, 443
MENTHOL, inhibition of lecithin cholesterol acyltransferase, 371
MESENTERIC LYMPH, composition rat, effect of randomized and control peanut oil, 11
METHEMOGLOBINEMIA, congenital, fatty acid profile, tissue phosphoglycerides, 60
METHOXYBROMO DERIVATIVES, fatty acids, unsaturated and conjugated, 971
METHYL ESTERS, fatty acids, purification by HPLC, 801
METHYL STEROLS, diurnal variation in rat plasma, liver and lipoproteins, 202
METHYLAMINE, fluorescence of reaction product with malonaldehyde, 600
24-METHYLCHOLEST-5-EN-3β-OL, content, fresh water snail, 229
22-*trans*-24-METHYLCHOLESTA-5,22-DIEN-3β-OL, content, fresh water snail, 229
3-METHYLINDOLE, effect upon ^{14}C-choline incorporation into phospholipids, 709
METHYLTRANSFERASE, assay, rabbit liver microsomes, 1
phosphatidyldimethylethanolamine, embryological development, liver microsomes, 1
phosphatidylethanolamine, embryological development, liver microsomes, 1
MICELLES, composition by kinetic dialysis, 553
ganglioside, 562
MICROBIAL LIPASE, effect of solvents, 975
MICROSOMES, dermatophytes, content of glycerol kinase, 289
preparation from Morris hepatoma 7288C and 7288CTC, 488
rat liver, acyltransferase, 359
rat liver, desaturase activity and fatty acid synthesis, effect of dietary fat, 214
rat liver, effect of diet on fatty acid profile of total and phospholipids, 214
rat liver, lipid composition in hyperthyroid rats, 171
rat liver, preparation, 578
MICROSOMAL PHOSPHOLIPASE A_2, from thermally acclimated trout, deacylation of phosphatidylcholine, 258
Microsporum gypseum, partial purification of glycerol kinase, characterization, 289
MIDBRAIN, rat, ganglioside and neuraminidase content, effect of nutritional status, 179
MILK, human, fatty acid composition, 469
MILK FAT, human, fatty acid profile, 673
MILLET, seeds, lipid composition, 958
MITOCHONDRIA, dermatophytes, content of glycerol kinase, 289
rat liver, lipid composition in hyperthyroid rats, 171
MOLLUSCS, fatty acid composition of tissues, effect of seasons, 649
fresh water, sterols, 229
MONGOLIAN GERBIL, lipoprotein level and composition, effect of dietary fat, 25
MONKEYS, serum, distribution of HDL, 656
MONOENOIC FATTY ACIDS, inhibition of lipoxygenase, 34
MONOHYDROPEROXIDES, GC-MS analysis, 790
MOTION, HEADGROUP, in lysophospholipid bilayers, nuclear magnetic resonance, 68
MOUSE, biomembranes, effect of cholesterol and ethanol, 929
liver cytosol fatty acid binding protein, 481
MOUSE L CELLS, incorporation of fatty acids into phospholipids, stimulation by antibody, 239
MUCOSA, rat, squalene, 631
MURICHOLIC ACID, rat biliary and fecal, effect of dietary fat and cholesterol, 109
MUSCLE, HUMAN, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
MYCOPLASMA, autoxidation of membranes, 756
MYELIN, proteins of rat brain, effect of EFA deficiency, 478

N

NEMATODE, sterol metabolism, 500
NEURAMINIDASE, assay, rat brain, 179
ganglioside content, rat brain and spinal cord, effect of nutritional status, 179
NEUROTENSIN, effect upon cholesterol and bile acids in guinea pig, 749
NEUTRAL LIPID, content of krill, 821
developing larvae, oyster, 815
millet seeds, 958
NEUTROPHILS, rabbit and human, effects of phorbol dibutyrate, 315
NONMETHYLENE INTERRUPTED DIENOIC ACID, composition in molluscs, 649
NUCLEOTIDES, requirement for glycerol kinase activity, 289
sugars, removal from ganglioside samples, 562

O

Ocillatoria, rapid screening and isolation of oxygen-

ate free fatty acids, 304
[1-^{14}C] Δ6,9-OCTADECADIENOIC ACID, conversion to [1-^{14}C] γ-linolenic acid in *Tetrahymena*, 285
preparation from [1-^{14}C]oleic acid, 285
OCTADECENOATE, Morris hepatoma 7288C cells, effect of cyclopropene fatty acids, 529
synthesis in Morris hepatoma 7288C and 7288CTC, 488
trans-OCTADECENOATE, dietary, effect on steroid metabolism in rat, 109
OCTANOATE, METHYL, thermal decomposition product of methylinoleate hydroperoxide, 307
OIL, dietary, blood and liver, rat, effect of diet, 664
liver, shark, fatty acid composition, 643
OITICICA OIL, complete assignment of carbon-13 NMR spectrum, 44
OLEATE, hydrogenation during chemical ionization mass spectrometry, 466
[1-^{14}C]OLEATE, metabolism in barley shoots, 507
[1-^{14}C]OLEIC ACID, binding by protein in liver cytosol, 481
OLFACTORY LOBES, rat, ganglioside and neuraminidase content, effect of nutritional status, 179
OLIVE OIL, analysis of triglyceride species by high pressure liquid chromatography, 300
dietary, effect on steroid metabolism in rat, 109
halogenated, incorporation into neonatal rat liver and stomach curd, 637
triglyceride content, HPLC, 880
triglyceride species, HPLC with flame ionization detection, 142
ORGANIC SOLVENTS, effect of microbial lipase, 975
32P-ORTHOPHOSPHATE, incorporation into phosphatidylinositol and phosphatidic acid in rabbit neutrophils, 315
OVARY CELLS, Chinese hamster, cholesterol metabolism and squalene epoxidase, 539
OXANDROLONE, treatment of human hyperlipemia, plasma and lipoprotein lipid responses, 73
OXAZOLINES, bile acid, effect on gallstone formation in prairie dog, 515
OXIDATION, labelled fatty acids in barley shoots, 507
β-OXIDATION, assay, rat heart homogenates, 122
peroxisomal, liver, rats fed high fat diet, effect of long chain acyl-CoA levels, 187
suppressed in developing rat heart, due to maternal undernutrition, 122
7-OXO-CHOLEST-5-EN-3β-OL, content, fresh water snail, 229
9-OXONONANOATE, METHYL, thermal decomposition product of methylinoleate hydroperoxide, 307
13-OXOTRIDECA-9,11-DIENOATES, METHYL, thermal decomposition product of methylinoleate hydroperoxide, 307
OXYGEN, singlet, role in copper catalyzed lipid peroxidation of erythrocyte membranes, 278
scavengers, effect of copper catalyzed peroxidation of erythrocyte membrane, 278
OXYGENATED FREE FATTY ACIDS, rapid screening and isolation from water and plants, 304
OYSTER, fatty acid metabolism, 332
incorporation of labelled fatty acids, 332
lipid content, 815
sterols, colorimetric methods of analysis, 625
OZONOLYSIS, determination of double bond position, fatty acid methyl esters, 264

P

[1-^{14}C]PALMITATE, metabolism in barley shoots, 507
PALMITOYL-CoA, bind by protein in liver cytosol, 481
synthetase, depressed activity in developing rat heart, due to maternal undernutrition, 122
PALMITOLEATE, hydrogenation during chemical ionization mass spectrometry, 466
PALM OIL TRIACYLGLYCEROL, olefinic carbons, nuclear magnetic resonance spectra of, 56
position of unsaturated fatty acid by nuclear magnetic resonance, 56
PANCREATIC LIPASE, commercial, extraction and analysis of lipid contaminants, 302
PAPAYA, fiber content and cholesterol binding capacity, 85
PARINARIC ACID, use in fluorescence polarization studies, rat liver microsomes, 214
PEANUTS, polyisoprenoid alcohols, 401
PEANUT LIPOXYGENASE, preparation, assay, kinetics, inhibition, 34
PEANUT OIL, control and randomized, fatty acid profile, 11
effect on absorption and transport of cholesterol in rat, 11
lipoxygenase, inhibition by monoenoic fatty acids, 34
randomized, effect on absorption and transport of cholesterol in rat, 11
PEAS, polyisoprenoid alcohols, 401
PECTIN, CITRUS, cholesterol binding capacity, 85
Pennisetum Americanum, lipid composition of, 958
PENTANE, in expired air, GLC analysis, measure of lipid peroxidation in rat, 127
2,3-PENTANE DIONE, thermal decomposition product of methylinoleate hydroperoxide, 307
1-PENTEN-3-ONE, thermal decomposition product of methylinoleate hydroperoxide, 307
PEROXIDATION, copper catalyzed, effect of oxygen scavengers, 278
dietary lipid, malondialdehyde excretion, 836
erythrocyte membrane effect of various metal ions, 278
esterified FA, by peroxidase, 863
free fatty acids, by peroxidase, 863
hemoglobin catalyzed, inhibited by presence of iodothyronines, 96
in rats fed oxidized rapeseed oil, 324
inhibitors, effect on cell proliferation and fatty acid synthesis, 381
lipid, erythrocyte membrane, by singlet oxygen, copper catalyzed, 278
lipids, fluorescent products, 600
lipid, in iron-loaded rats, effect of dietary antioxidants, 127
of erythrocyte membranes, copper catalyzed, reaction conditions, 278

thiobarbituric acid test, structure of adduct of malondialdehyde, 804
PEROXIDES, effect on cell proliferation and fatty acid metabolism in guinea pig smooth muscle cells, 381
PEROXISOMAL β-OXIDATION, liver, rats fed high fat diet, effect of long chain acyl-CoA levels, 187
PHENACYL FATTY ACID ESTERS, HPLC relative retention time, 285
PHENYLALININE, dietary, effect on rat liver desaturase activities, 154
PHORBOL DIBUTYRATE, effects on rabbit and human neutrophils, 315
PHOSPHATASE, acid, in rat bile, effect of chloroquine, 195
alkaline, rat plasma, influence of chloroquine, 195
PHOSPHATIDIC ACID, fatty acid incorporation in leukocytes, 573
PHOSPHATIDYLCHOLINE, acylation in rat liver, 359
biosynthesis, rabbit liver, effect of embryological development, 1
content, rat liver microsomes and mitochondria, effect of thyroid status, 171
content, rat lung, effect of diet, 38
deacylation by phospholipase A_2 from thermally acclimated trout, 258
diabetic rat, fatty acids, 367
fatty acid composition, 982
fatty acid composition and cold adaptation in crustacea, 436
fatty acid incorporation in leukocytes, 573
fatty acid profile, rat lung and lavage, effect of diet, 38
fatty acid profile, normal and diseased human tissues, 60
human platelets, effects of cod liver oil supplementation, 617
human umbilical cord blood, 337
in mouse L cells, content and antibody stimulated incorporation of fatty acids, 239
lung surfactants, fatty acid profile, 857
marine fish roe, 492
Morris hepatoma 7288C cell, fatty acids, 529
physical state in multilamellar vesicles, 474
plasmalogens, isolation by HPLC, 353
radiolabelled, synthesis using rat liver microsomal acyltransferase, 258
rat cardiac, content and fatty acid profile, effects of diet, 206
rat erythrocytes, fatty acid composition, 443
PHOSPHATIDYLDIMETHYLETHANOLAMINE METHYLTRANSFERASE, embryological development, liver microsomes, 1
PHOSPHATIDYLETHANOLAMINE, content, rat liver microsomes and mitochondria, effect of thyroid status, 171
content in *Streptomyces antibioticus*, 223
content, rat lung, effect of diet, 38
diabetic rat, fatty acids, 367
fatty acid composition and cold adaptation in crustacea, 436
fatty acid incorporation in leukocytes, 573
fatty acid profile, normal and diseased human tissues, 60
human platelets, effects of cod liver oil supplementation, 617
in mouse L cells, content and antibody stimulated incorporation of fatty acids, 239
lung surfactants, fatty acid profile, 857
marine fish roe, 492
Morris hepatoma 7288C cells, fatty acids, 529
N-methyl, content in *Streptomyces antibioticus*, 223
rat cardiac, content and fatty acid profile, effects of diet, 206
rat erythrocytes, fatty acid composition, 443
PHOSPHATIDYLETHANOLAMINE METHYLTRANSFERASE, embryological development, liver microsomes, 1
PHOSPHATIDYLGLYCEROL, content in *Streptomyces antibioticus*, 223
PHOSPHATIDYLINOSITOL, content, rat liver microsomes and mitochondria, effect of thyroid status, 171
content, rat lung, effect of diet, 38
diabetic rat, fatty acids, 367
fatty acid incorporation in leukocytes, 573
human platelets, effects of cod liver oil supplementation, 617
in mouse L cells, content and antibody stimulated incorporation of fatty acids, 239
marine fish roe, 492
Morris hepatoma 7288C cells, fatty acids, 529
turnover in rabbit and human neutrophils, 315
PHOSPHATIDYLSERINE, content, rat liver microsomes and mitochondria, effect of thyroid status, 171
content, rat lung, effect of diet, 38
human platelets, effects of cod liver oil supplementation, 617
in mouse L cells, content and antibody stimulated incorporation of fatty acids, 239
PHOSPHATIDYLGLYCEROL, lung surfactants, fatty acid profile, 857
PHOSPHOLIPASE A_2, in rabbit neutrophils, 315
microsomal, from thermally acclimated trout, deacylation of phosphatidylcholine, 258
rat liver, effect of streptozotocin, 738
trout liver, isolation and assay, kinetics, substrate specificity, 258
PHOSPHOLIPID CONTENT, biomembranes, lipid content, 929
PHOSPHOLIPIDS, acylation, rat liver, 359
analysis by HPLC, 171
arachidonic acid uptake in rabbit and human neutrophils, 315
bilayer, thermodynamic characterization, 395
bile, hamster, effect of dietary protein, 5
biliary, rat, influence of chloroquine, 195
cardiac, rat, effect of dietary fat on content and fatty acid profile, 206
^{14}C-choline incorporation into, effect of 3-methylindole, 709
content and fatty acid profile, bile, rabbit, sheep, chick embryo, 64
content of krill, 821
effect on lipogenic enzymes, 828
fatty acid composition in crustacea, 436
fatty acid incorporation in barley shoots, 507

fatty acid, profile in sponge, 768
fatty acids, in diabetic rat, 367
fatty acid profile, rat lung and lavage, effect of diet, 38
human milk, fatty acid composition, 469
human platelets, effect of cod liver oil supplementation, 617
human umbilical cord blood, 337
incorporation of arachidonate and eicosapentaenoate by polymorphonuclearleukocytes, 573
lipoprotein, content, gerbil, effect of dietary fat, cholesterol, 25
lung surfactants, 857
lymph, content, rat, effect of peanut oil or randomized peanut oil, 11
marine fish roe, 492
millet seeds, 958
mouse L cells, antibody stimulation of fatty acid incorporation, 239
rat, intestinal metabolism, 875
rat erythrocytes, fatty acid composition and metabolism, 443
rat erythrocytes, fatty acid positional distribution, 443
rat erythrocytes, stereospecific analysis, 443
rat liver, effects of ethanol diet, 419
rat testes, fatty acids, 609
total, content, rat liver microsomes and mitochondria, effect of thyroid status, 171
PHOSPHOMANNOINOSITIDES, content in *Streptomyces antibioticus*, 223
PHOSPHOTRANSFERASE, assay, rabbit liver microsomes, 1
choline, embryological development, liver microsomes, 1
PHOTOOXIDATION, of erythrocyte membranes, reaction conditions, 278
Phytophthora cactorum, sterol requirements, 544
PHYTOSTEROLS, utilization by various species of *Drosophila*, 235
PIGEON ADIPOSE TISSUE, hormone sensitive lipase, inhibition by fatty acyl CoA, 134
PIMOZIDE, effect on bradykinin and Ionophore stimulated prostacyclin synthesis, 17
PINEAPPLE, fiber content and cholesterol binding capacity, 85
PLASMA, diabetic rat, lipase activity, 594
diabetic rat, phospholipid fatty acids, 367
fatty acid profile, 942
guinea pig, effect of neurotensin on, 749
guinea pig, triglycerides, 978
human, antithrombin III and glucosylceramide, 363
human, VLDL, triacylglycerol, 683
prairie dog, effect of oxazolines, 515
rat, squalene, 631
rat, transport of hydrocarbons, 423
sheep, fatty acid profile of lipids, 982
PLASMALOGENS, isolation from beef heart phosphatidylcholine, 353
PLATELETS, human, effects of cod liver oil supplementation, 617
PLATELET ACTIVATING FACTOR, amniotic fluid, human, detection of by GC-MS, 907
PLURONIC F68, effect upon cholesterol content of rat intestinal mucosa, 721
POLYENOIC ACIDS, activation, rat, acyl CoA synthetase, 987
POLYISOPRENOID ALCOHOLS, of seeds, 401
POLYMORPHONUCLEAR LEUKOCYTES, incorporation of fatty acids into phospholipids, 573
POLYUNSATURATED DIET, effect on activity of rat liver acyltransferase, desaturase, 48
POLYUNSATURATED FAT, DIETARY, effect on lipoprotein levels and composition, gerbil, 25
POLYUNSATURATED FATTY ACID HYDROPEROXIDES, human brain, 784
POLYUNSATURATED FATTY ACIDS, blood and liver, rat, effect of diet, 664
developing larvae, oyster, 815
PONDWEED, rapid screening and isolation of oxygenated free fatty acids, 304
PONS-MEDULLA, RAT, ganglioside and neurominidase content, effect of nutritional status, 179
POPLITEAL LYMPH, sheep, fatty acid profile of lipids, 982
PORCINE AORTIC ENDOTHELIAL CELLS, regulation of prostacyclin synthesis, role of calcium, 17
POSITIONAL OBSTRUCTION, fatty acids in lipids, 982
Potamogeton, rapid screening and isolation of oxygenated free fatty acids, 304
POTATO, SWEET, fiber content and cholesterol binding capacity, 85
PRAIRIE DOG, gallstone formation, 515
liver, plasma and bile, effect of oxazolines, 515
PRIMATES, serum, distribution of HDL, 656
PROSTAGLANDIN, rat, hypertension, 699
PROPYL GALLATE, DIETARY, effect on lipid peroxidation in iron-loaded rats, 127
PROSTACYCLIN, quantitation of derivative, gas chromatography-mass spectrometry, 17
PROSTACYCLIN SYNTHESIS, regulation, aortic endothelial cells, role of calcium, 17
PROSTANOIDS, synthesis in guinea pig smooth muscle cells, 381
PROTECTED CHOLESTEROL, DIETARY, protected and unprotected, effect on plasma cholesterol, liver, of sheep, 159
PROTECTED SUNFLOWER OIL, DIETARY, sheep, effect on liver and serum cholesterol, 159
PROTEIN, animal, dietary hamster, effect on gallstone formation, bile constituents, 5
fatty acid binding in liver cytosol, species difference, 481
lipoprotein, content gerbil, effect of dietary fat, cholesterol, 25
vegetable, dietary hamster, effect on gallstone formation, bile constituents, 5
rat brain myelin, effect of EFA deficiency, 478
PROTOPLAST, preparation from mycelia of *Streptomyces antibioticus*, 223
PROTOPLAST FORMATION, *Streptomyces antibioticus*, 223
PYRAZOLE, for oxidation of steroidal allylic alcohols, 550
PYRIDINIUM CHLOROCHROMATE, in oxidation of steroidal allylic alcohols, 550
PYRUVATE, lipogenesis from in neonatal rat lung, 103
prevention of alcohol-induced fatty liver in rat, 583

PYRUVATE ACID, formation, inhibited by 5-tetradecyloxy-2-furoic acid, 851

Q

QUAIL, biomembranes, effect of cholesterol and ethanol, 929

R

RABBIT, gall bladder bile, lipid composition and fatty acid profile, 64
liver, embryological development, effect on phosphatidylcholine biosynthesis, 1
neutrophils, effects of phorbol dibutyrate, 315
serum and liver lipids, effect of protein and carbohydrate, 844
RABBIT LIVER MICROSOMES, methyltransferase, phosphotransferase, embryological development, 1
RADIOIMMUNEASSAY, prostaglandins, 699
prostanoids in guinea pig smooth muscle cells, 381
RADIOMETRIC ASSAY, coenzyme A reductase, yeast, 966
RAPESEED, polyisoprenoid alcohols, 401
RAPESEED LIPOXYGENASE, preparation, assay, kinetics, inhibition, 34
RAPESEED OIL, dietary, rat, effect on food consumption, weight gain, liver acyl-CoA and β-oxidation, 187
lipoxygenase, inhibition by monoenoic fatty acids, 34
oxidized frying, effects of ingestion by rat, 324
RAT, adipocytes, fatty acid synthesis, 851
atria, effect of dietary fat on phospholipid content and fatty acid profile, 206
bile, influence of chloroquine on lipid and lysosomal enzyme content, 195
blood and liver, cholesterol and PUFA content, effect of diet, 664
brain, effect of EFA deficiency on myelin proteins, 478
brain, gangliosides and neuraminidase activity, effect of nutritional status, 179
brominated FA content of tissues, effect of diet, 704
cholesterol absorption and transport, effect of peanut oil or randomized peanut oil, 11
diabetic, blood glucose, 578
diabetic, fatty acids of tissue phospholipids, 367
diabetic, metabolism of long chain fatty acids in liver, 578
diabetic and fasting, tissue lipase activities, 594
effects of ingesting oxidized frying fat, 324
fatty acid composition and metabolism of erythrocyte phospholipids, 443
heart, effect of dietary fat on phospholipid content and fatty acid profile, 206
heart, maternal dietary restriction inhibits fatty acid activation, 122
hemoglobin, catalyzes oxidation of iodothyronines and peroxidation of linoleic acid, 96
hypertension, reversal by dihomo-γ-linolenic acid, 699
hyperthyroid, lipid composition of liver mitochondria and microsomes, 171
intestinal mucosa, metabolism of free fatty acids, 875
intestine, effects of irradiation on absorption, 405
liver, cholesterylester hydrolase, 916
liver, content of methyl sterols and cholesterol, diurnal variation, 202
liver, cytosol fatty acid binding protein, 481
liver, cytosolic protein inhibiting lysosomal acid cholesterylester hydrolase, characterization, 714
liver, effect of dietary amino acids on desaturase activities, 154
liver, effects of ethanol diet on triglycerides, 419
liver, fatty acid synthetase and stearoyl CoA desaturase, effect of alcohol ingestion, 151
liver, incorporation of halogenated fatty acids, 637
liver, lysosomal cholesterylester hydrolase, 692
liver, microsomal acyltransferase, desaturase, dietary regulation, 48
liver, microsomal desaturase activity and fatty acid synthesis, effect of dietary fat, 214
liver, microsomal stearoyl desaturase, 488
liver microsomes, lipid composition in hyperthyroid rats, 171
liver, peroxisomal β-oxidation, effect of long chain acyl-CoA levels in fat fed rat, 187
liver, phosphoglyceride metabolism, effect of streptozotocin, 738
liver microsomes, acyltransferase, 359
liver mitochondria, lipid composition in hyperthyroid rats, 171
lipid metabolism, effect of synthetic estrogen, 777
lung neonatal, pathways of acetyl CoA production for lipogenesis, 103
lung, surfactant and fatty acid composition, effect of diet, 38
lymph, triglyceride, cholesterol, phospholipid content, effect of peanut oil, 11
organs, acyl CoA synthetase, 987
plasma, fatty acid profile, 942
plasma triacylglycerol, turnover, estimation using labeled glycerol, 139
pregnant, triacylglycerol and apoprotein, 902
prevention of alcohol-induced fatty liver, 583
serum lipids, effect of total parenteral nutrition, 728
small intestine, cholesterol content, control of, 721
spinal cord, gangliosides and neuraminidase activity, effect of nutritional status, 179
squalene in various tissues, 631
steroid metabolism, effect of dietary *trans*-octadecenoates, 109
testis, metabolism of arachidonate, 341
testicular lipids, effects of hypophysectomy and testosterone, 609
tissue lipid, fatty acid profiles, effect of total parenteral nutrition on lipid content, 728
tissue peroxidation, malondialdehyde, 836
transport of hydrocarbons in chylomicrons and lipoproteins, 423
undernourished and normal, ganglioside and neuraminidase content of brain and spinal cord, 179
uterus, fluorescent compounds, effect of Vitamin E, 911
ventricle, effect of dietary fat on phospholipid content and fatty acid profile, 206
REDUCTASE, CYTOCHROME b_5, DEFICIENCY, fatty acid profile, tissue phosphoglycerides, 60
REFRACTIVE INDICES, lipoproteins, for use with

ultracentrifuge, 558
Ribes, lipid content, 923
RIBOFLAVIN, effect on alcohol-induced fatty liver in rat, 583
RICE, polyisoprenoid alcohols, 401
RUMINAL HYDROGENATION, sheep, protection of cholesterol, effect on plasma cholesterol and liver, 159
Ruppia, rapid screening and isolation of oxygenated free fatty acids, 304
RYE, polyisoprenoid alcohols, 401

S

SAFFLOWER OIL, dietary, effect on lipoprotein level and composition, gerbil, 25
dietary, rat, effect on hepatic microsomal desaturase and fatty acid synthesis, 214
dietary, rat, effect on lung surfactant and fatty acid composition, 38
Salmo gairdneri, thermally acclimated, temperature dependent deacylation of phosphatidylcholine, 258
See trout
SAPODILLA, fiber content and cholesterol binding capacity, 85
SATURATED FAT, DIETARY, effect on activity of rat liver acyltransferase, desaturase, 48
effect on lipoprotein levels and composition, gerbil, 25
rat, effect on lung surfactant and fatty acid composition, 38
SEASONAL CHANGES, effect on fatty acid composition of mollusc tissues, 649
SEED, millet, lipid composition, 958
mono- and dicotyledonous, polyisoprenoid alcohols, 401
Ribes, lipid content, 923
SELENIUM, deficiency, erythrocyte hemolysis, 836
SERUM, lipoproteins, refractive indices, 558
primates, distribution of HDL, 656
rabbit, lipids and lipoprotein cholesterol, 844
rat, effect of total parenteral nutrition on lipid content, 728
rat, free fatty acids, 875
rat, lipid metabolism, effect of synthetic estrogen, 777
triacylglycerol, effect of protein depletion, 902
trout, vitellogenin and lipoproteins during egg formation, 522
SERUM CHOLESTEROL, rat, effect of dietary cholesterol and *trans*-octadecenoates, 109
SEX HORMONES, effect on cholesterylester hydrolase, rat liver, 916
SHARK, liver, fatty acid and squalene composition, 643
SHEEP, effect of protected and unprotected cholesterol on plasma cholesterol and liver, 159
SHEEP, plasma and lymph, triacylglycerols, distribution of fatty acids, 982
fat, dietary, rat, effect on cardiac cholesterol and phospholipid, 206
gall bladder bile, lipid composition and fatty acid profile, 64
kidney fat, fatty acid profile, 206
liver, effect of protected and unprotected dietary cholesterol, 159
SILICA, OCTADECYLSILYL, batch isolation of oxygenated free fatty acids, 304
SITOSTEROL, *Drosophila*, ability to use and to overcome toxicity of *trans*-dehydrosterol, 231
function in *Phytophthora cactorum*, 544
inhibition of biosynthesis in higher plants, 449
metabolism in a free living nematode, 500
utilization by various species of *Drosophila*, 235
SKIN, diabetic rat, phospholipid fatty acids, 367
fibroblasts, human, 869
rat, squalene, 631
SMALL INTESTINE, rat, cholesterol content, control of, 721
SNAIL, fresh water, sterols, 229
SOLVENTS, effect of fat splitting, 975
SOYBEAN, cotyledons, triacylglycerols, fatty acid profile, 936
dietary, hamster, gallstone formation, bile constituents, 5
polyisoprenoid alcohols, 401
sterols, effects of inhibitors on biosynthesis, 449
SOYBEAN LIPOXYGENASE, physical state of linoleate and inhibitors under assay conditions, 163
preparation of (9Z,11E)-13-hydroperoxy-9,11-octadecadienoic acid from linoleate, 294
SOYBEAN OIL, changes in triglycerides due to heat, 589
dietary, rat, effect on food consumption, weight gain, liver acyl-CoA and β-oxidation, 187
lipoxygenase, inhibition by monoenoic fatty acids, 34
triglyceride content, HPLC, 880
SPECTRA, carbon-13 NMR, complete assignment of Oiticica oil, 44
carbon-13 NMR, interpretation of chemical shifts, 44
electron spin resonance, phospholipids in crustacea, 436
GLC-MS, fatty acid methyl ester of shark oil, 643
fluorescence, model lipid oxidation products, 600
mass, chemical ionization, sterol esters, 888
mass, electron impact, sterol esters, 888
mass, GLC, analysis of amniotic fluid, 907
mass, GLC, autoxidized fats, 790
mass, GLC, diols, 990
mass, GLC, lipids of seeds, 923
mass, GLC, unsaturated fatty acids, hydrogenation during, 466
mass, GLC, very long chain fatty acids of green alga, 472
mass, GLC, pyrrolidines of fatty acids, 768
mass, of products of BF_3-ether treated methyl linoleate hydroperoxides, 294
mass, sterols from fresh water snail, 229
nuclear magnetic resonance, investigation of headgroup motion, lysophospholipid bilayers, 68
^1H nuclear magnetic resonances, malondialdehyde adduct, 804
^{13}C nuclear magnetic resonances, malondialdehyde adduct, 804
nuclear magnetic resonance, model lipid oxidation products, 600
nuclear magnetic resonance, olefinic carbons of palm oil triglycerides, 56
nuclear magnetic resonance, olefinic carbons, corn oil, cocoa butter, palm oil, 56

proton magnetic resonance, epoxyhydroperoxyoctadecadienoates, 375
^{1}H-NMR, pyrrolidines of fatty acids, 768
ultraviolet, model lipid oxidation products, 600
ultraviolet, sterol chromagens, 625
SPECTROPHOTOMETRY, cholesterol, 749
mass, location of double bonds, fatty acids, 971
SPHINGOMYELIN, content, rat liver microsomes and mitochondria, effect of thyroid status, 171
content, rat lung, effect of diet, 38
human umbilical cord blood, 337
Morris hepatoma 7288C cells, fatty acids, 529
mouse L cells, content and antibody stimulated incorporation of fatty acids, 239
SPINACH LEAVES, subcellular localization of triacylglycerol synthesis, 117
SPINAL CORD, rat, gangliosides and neuraminidase activity, effect of nutritional status, 179
SPLEEN, HUMAN, normal and cytochrome b_5 reductase deficient patient, fatty acid profile, phospholipids, 60
SPONGE, fatty acid profile of phospholipids, 768
STEARATE, Morris hepatoma 7288C cells, effect of cyclopropene fatty acids, 529
STEAROYL CoA DESATURASE, in Morris hepatoma 7288C and 7288CTC, 488
rat, effect of alcohol ingestion, 151
STEER, meibomian gland, diol content, 990
meibomian gland, fatty acids and alcohols, double bond patterns, 264
Sterculia foetida, fatty acids, effect on lipid composition of Morris hepatoma 7288C cells, 529
STERCULIC ACID, effects on lipids of Morris hepatoma 7288C cells, 529
STEROID EXCRETION, biliary and fecal, effect of diet, rat, 109
STEROID METABOLISM, rat, effect of dietary *trans*-octadecenoates, 109
STEROIDS, synthesis from steroidal allylic alcohols, 550
STEROL, contaminant of commercial lipases, 302
content of krill, 821
effects of inhibitors on biosynthesis in higher plants, 449
free and esterified, in marine dinoflagellate, 457
fresh water snail, isolation and analysis, 229
inhibition in a free living nematode, 500
metabolism in a free-living nematode, 500
methyl, diurnal variation in rat plasma, liver and lipoproteins, 202
oyster, colorimetric methods of analysis, 625
structural requirements by *Phytophthora cactorum*, 544
synthesis in ovary cells of Chinese hamster, 539
STEROL ESTERS, analysis by GC-CI, 888
analysis by GC-EI, 888
analysis, by GC-MS, 888
contaminant of commercial lipases, 302
STIGMASTEROL, *Drosophila*, ability to use and to overcome toxicity of *trans*-dehydrosterol, 231
inhibition of biosynthesis in higher plants, 449
Streptomyces antibioticus, lipid composition and protoplast forming capacity, 223
STREPTOZOTOCIN, effect on intestinal metabolism of fatty acids, rat, 875
effect upon phosphoglyceride metabolism in rat liver, 738
Strongylophora durissima, fatty acid profile of phospholipids, 768
SQUALENE, composition in shark liver, 643
determination, 631
epoxidase, and cholesterol metabolism in Chinese hamster ovary cells, 539
SUGARS, amino, removal from ganglioside samples, 562
lipid linked, content in *Streptomyces antibioticus*, 223
SUNFLOWER OIL, dietary, rat, effect on cardiac cholesterol and phospholipid, 206
dietary, sheep, effect on liver and serum cholesterol, 159
fatty acid profile, 206
SURFACE TENSION, fatty acids pure and mixed under lipoxygenase assay conditions, 163
SURFACTANTS, lung, phospholipids, 857
lung, rat, effect of dietary fat, 38
SYNAPTOSOMAL MEMBRANES, lipid content, 929

T

TALLOW BEET, DIETARY, effect on lipoprotein level and composition, gerbil, 25
TARO, fiber content and cholesterol binding capacity, 85
TAUROCHOLATE, analysis, TLC, 11
determination in micelles, 553
effect upon cholesterol content of rat intestinal mucosa, 721
TENSION, SURFACE, fatty acids pure and mixed under lipoxygenase assay conditions, 163
TERPENES, inhibition of lecithin cholesterol acyltransferase, 371
TESTES, diabetic rat, phospholipid fatty acids, 367
rat, effects of hypophysectomy and testosterone on lipids, 609
rat, metabolism of arachidonate, 341
TESTOSTERONE, effect on testicular lipids of hypophysectomized rat, 609
TETRADECYLOXY-2-FUROIC ACID, inhibition of fatty acid synthesis, 851
Tetrahymena, specificity of fatty acid desaturase, 285
Thalassia, rapid screening and isolation of oxygenated free fatty acids, 304
THERMAL DECOMPOSITION, of individual isomers of linoleate hydroperoxides, cyclic peroxides and dihydroperoxides, 307
THIOBARBITURIC ACID, test for peroxidation, structure of adduct of malondialdehyde, 804
THYROXINE, inhibits hemoglobin catalyzed peroxidation of linoleic acid, 96
TISSUE CULTURE, guinea pig smooth muscle cells, 381
TOBACCO, sterols, effects of inhibitors on biosynthesis, 449
TOCOPHEROL, rapeseed oil, effect of frying, 324
TOCOPHEROL ACETATE, dietary, effect on lipid peroxidation in iron-loaded rats, 127
TOMATINE, effect upon cholesterol content of rat intestinal mucosa, 721
TOMATO LIPOXYGENASE, preparation of (10E,

12Z)-9-hydroperoxy-10,12-octadecadienoic acid from linoleate, 294
TOTAL PARENTERAL NUTRITION, effect upon lipid content and composition in rat, 728
TRIACYLGLYCEROL, cocoa butter, olefinic carbons, nuclear magnetic resonance spectra of, 56
content and composition, bile, rabbit, sheep, chick embryo, 64
content in *Streptomyces antibioticus*, 223
content and structure, lipoprotein, human, 683
corn oil, olefinic carbons, nuclear magnetic resonance spectra of, 56
fatty acid composition, 982
fatty acid profile of, soybean cotyledons, 936
lipase, in trout, 347
milk fat, human, 673
palm oil, olefinic carbons, nuclear magnetic resonance spectra of, 56
palm oil, position of unsaturated fatty acid by nuclear magnetic resonance, 56
plasma, chicken, effect of diet, 250
plasma, turnover, estimation using labeled glycerol, 139
rat plasma, influence of chloroquine, 195
spinach leaf and chloroplast, fatty acid composition, 117
synthesis, spinach leaves, subcellular localization, 117
TRIARIMOL, effect on sterol biosynthesis in higher plants, 449
Trichoderma viride, filtrate, effect on lipid metabolism of laying hen, 250
TRIDEMORPH, effect on sterol biosynthesis in higher plants, 449
TRIFLUOPERAZINE, effect on bradykinin and Ionophore stimulated prostacyclin synthesis, 17
TRIGLYCERIDES, alcohol-induced fatty liver in rat, 583
analysis by high pressure liquid chromatography, 300
contaminant of commercial lipases, 302
effect on lipogenic enzymes, 828
human milk, fatty acid composition, 469
lipase, diabetic and fasting rat, 594
lipoprotein, hyperlipemic humans, response to four hypolipid drugs, 73
plasma, guinea pig, 978
rabbit, effect of diet, 844
rat, effect of streptozotocin, 875
rat liver, effects of ethanol diet, 419
rat testes, fatty acids, 609
serum, hyperlipemic humans, response to four hypolipid drugs, 73
soybean oil, effects of heat, 589
stereospecific analysis, heated soybean oil, 589
vegetable oils, HPLC, 880
TRIGLYCERIDE LYMPH, content, rat, effect of peanut oil or randomized peanut oil, 11
TRIGLYCERIDE SPECIES, HPLC analysis using flame ionization detection, 142
olive oil, HPLC analysis with flame ionization detection, 142
TRIIODOTHYRONINE, induced alterations of lipid composition, rat liver mitochondria, microsomes, 171
TRIOLEIN, effect upon cholesterol content of rat intestinal mucosa, 721
TRIPANAROL, effect on sterol biosynthesis in higher plants, 449
TROUT, egg formation, fatty acid requirements, 522
purification of lipase from adipose tissue, 347
rainbow, thermally acclimated, temperature dependent deacylation of phosphatidylcholine, 258
TROUT LIVER, isolation and assay of phospholipase A_2, 258
TURTLE GRASS, rapid screening and isolation of oxygenated free fatty acids, 304
TYPE II HYPERLIPOPROTEINEMIA, lecithin-cholesterol and lysolecithin acyltransferase activity, 80
TYROSINE, DIETARY, effect on rat liver desaturase activities, 154

U

ULTRACENTRIFUGATION, lipoprotein isolation, primates, 656
ULTRACENTRIFUGE, calibration, 558
UNDERNOURISHED AND NORMAL RAT, effect on brain and spinal cord, gangliosides and neurominidase, 179
UNSATURATED FAT, dietary, rat, effect on lung surfactant and fatty acid composition, 38
UPTAKE AND METABOLISM OF ^{14}C-PALMITIC ACID, 875
URINARY, malondialdehyde, rat, indicator of peroxidation, 836
URSODEOXY-OXAZOLINE, effect on gallstone formation in prairie dog, 515
UTERUS, rat, fluorescent compounds, effect of vitamin E, 911

V

VEGETABLE OIL, brominated, effect on fatty acid content in rat, 704
triglyceride content, HPLC, 880
VEGETABLE PROTEIN, dietary, hamster, effect on gallstone formation, bile constituents, 5
VEGETABLES, TROPICAL, fiber, cholesterol binding capacity, 85
VENTRICLE, RAT, effect of dietary fat on phospholipid content and fatty acid profile, 206
VERAPAMIL, effect on bradykinin and Ionophore stimulated prostacyclin synthesis, 17
VESICLES, dipalmitoylphosphatidylcholine, thermodynamic characterization, 395
multilamellar, cholesteryl sulfate-phosphatidylcholine interactions, 474
VITALLOGENIN, trout serum, and dietary (n-3) PUFA, 522
VITAMIN E, effect on cell proliferation in cultured cells, 381
effect upon presence of fluorescent compounds in rat uterus, 911
inhibits hemoglobin catalyzed peroxidation of linoleic acid, 96
malondialdehyde excretion, rat, 836

W

WAX, BEES, fatty acid composition, 302
WAX, LEAF, fatty acid composition, 302
WHEAT, polyisoprenoid alcohols, 401
WIDGEON GRASS, rapid screening and isolation of

oxygenated free fatty acids, 304

Y

YAM, fiber content and cholesterol binding capacity, 85
YEAST, 3-hydroxy-methylglutaryl coenzyme A reductase, 966
YOLK CHOLESTEROL, effect of diet, chicken, 250